

THE LIGHTING MAKERS

1950 - 2013



STUDIO
ITALIA DESIGN
LIGHTING MAKERS



STUDIO
ITALIA DESIGN
LIGHTING MAKERS



THE LIGHTING MAKERS

1950-2013

In una bottega artigiana, a Marcon, nell'entroterra veneziano, alla fine degli anni '40, Angelo Tosetto progettava e realizzava impareggiabili lampadari artistici, incantevoli e di raffinata eleganza. Si recava a Murano per apprendere le tecniche di lavorazione dai maestri vetrai e carpirne i segreti. Attività appassionata e continua ricerca hanno segnato un rapido percorso che ha permesso di raggiungere prestigiosi riconoscimenti ed un pubblico internazionale.

At the end of the 40's in an artisan's workshop in Marcon in the venice hinterland, Angelo Tosetto designed and manufactured enchanting chandeliers unequalled for their refinement and elegance. He would visit Murano to learn the techniques of working glass and to understand its secrets. His constant research and passion for the work soon brought him prestigious recognition from an international market.

THE LIGHT MAKERS

1950

Oltre mezzo secolo di storia ed esperienze, la storia di tre generazioni che hanno portato Studio Italia Design ad affermarsi e distinguersi tra le più antiche e prestigiose aziende d'illuminazione nel panorama italiano. Studio Italia Design si distingue, infatti, per l'alta professionalità la passione e la sensibilità con cui, legati alla tradizione, riescono a coniugare l'intramontabile arte vetraria muranese, a fonti luminose e metalli, proponendoli in una veste straordinariamente moderna e raffinata. L'agrande padronanza delle tecniche di lavorazione permette di assemblare materiali eterogenei realizzando così oggetti di stile contemporaneo custodi di un valore senza tempo.

Over half a century of history and experience, history of three generations that have carried Studio Italia Design to qualify and distinguish itself amongst the oldest and most prestigious lighting companies on the Italian scene.

It distinguishes itself for the high level of professionalism, the passion and sensitivity which together with tradition, manage to marry the ageless art of Murano glasswork to light sources and metals proposing an extraordinary piece of contemporary refinement. The mastery of these working techniques permits the bringing together of many diversities of materials to produce objects that still retain contemporary style whilst keeping timeless values.



THE LIGHT MAKERS

2013

Le antiche sapienze, l'abilità artigiana si intrecciano a sperimentazioni, a continue ricerche ed innovazioni. Con il supporto di affermati designers, vengono realizzati oggetti esclusivi osservando criteri ed esigenze estetiche, tecniche e qualitative. Oggetti non solo come sorgente luminosa ma veri e propri complementi d'arredo, che con le loro trasparenze, giochi di luce e rifrazioni rendono magico ogni tipo di ambiente. Una evoluzione verso soluzioni architettoniche, dove fonti luminose all'avanguardia, moderne e innovative, materiale classico e metalli di altissima qualità entrano in sinergia, sviluppati con efficienza, professionalità ed attenzione alle migliori tecniche di lavorazione.

Antique knowledge and artisan ability weave together with experimentation, continual research and innovation in our new and spacious buildings made up of a contemporary show room, design offices, sales offices, warehouses and workshops. With the support of prestigious architects and designers, we produce exclusive objects observing aesthetic, technical and qualitative criteria. Objects that are not just lighting sources but that decorate and embellish with their transparency, use of light and refraction, they create magic in any environment. Evolving towards architectural solutions where avantgarde lighting sources, cutting edge and classic materials along with metals of the highest quality enter into a sinergy developed with efficiency, professionalism and attention to the best working techniques.



**STUDIO ITALIA DESIGN UNISCE CON
INCOMPARABILE ABILITA' E MAESTRIA
VARI E PREGIATI MATERIALI.**

**IL VETRO SOFFIATO DIALOGA CON
OTTONE, ALLUMINIO, ACCIAIO
ESALTANDONE LE POTENZIALITA'
NELLE DIVERSE FINITURE.**

**L'APPASSIONATO INTERESSE PER
TUTTE LE RISORSE DELLA SCIENZA
E DELLA TECNICA DETERMINA NUOVE
LINEE E NUOVE "RAISON D'ETRE"
ESCLUSIVE DETTATE DAGLI ATTUALI
STILI DI VITA.**

**I DIVERSI ELEMENTI IN UN SOTTILE
GIOCO DI EQUILIBRI E ARMONIE
CREANO EFFETTI LUMINOSI,
VOLUMETRICI E LINEARI,
ESPRESSIONI DI UN ARTE LUMINOSA
E ILLUMINATA RIGOROSAMENTE**

MADE IN ITALY.

STUDIO ITALIA DESIGN BRINGS TOGETHER INCOMPARABLE ABILITIES AND SKILLS USING PRECIOUS MATERIALS. BLOWN GLASS IN DIALOGUE WITH BRASS, ALUMINIUM, AND STEEL EXALTING THE POTENTIAL OF THE DIFFERENT FINISHES. THE PASSIONATE INTEREST FOR ALL THE RESOURCES OFFERED BY SCIENCE AND TECHNOLOGY DETERMINE NEW LINES AND NEW EXCLUSIVE “RAISON D’ETRE” DICTATED BY MODERN ENVIRONMENTS AND CURRENT CONDITIONS AND LIFE STYLES. THE DIFFERENT ELEMENTS IN A SUBTLE GAME OF BALANCE AND HARMONY CREATE LIGHTING EFFECTS, VOLUMETRIC AND LINEAR, EXPRESSION OF A LUMINOUS AND ILLUMINATED ART, ALL RIGOROUSLY **MADE IN ITALY.**

INDICE ALFABETICO/ ALPHABETIC INDEX



A TUBE 268



AMOURETTE 94



AT 48



BANGLE 118



B BOX 346



BIG MEC 336



BLOW 62



BUBBLE 166



BUONANOTTE 340



CHOP 312



COPENHAGEN 372



COPPA 136



CURL MY LIGHT 84



DUFFLE 76



EYE 278



GRACE 218



HIDE 350



ICE 352



INCANTO 248



INPIANO 244



ISTEP 354



KELLY 28



LACE 153



LANCIA 146



LASER 294



LOLE 206



MAGNETITA 286



MANIA 274



MENIR 290



MINIMANIA 127




NUVOLA 20



OVI' 156



PANICO 356



PINA 358



PROBE 234



PURALUCE 110



REMABEL 174



ROCK 196



RONDO' 156



SLIM 262



SOAP 322



SOPHIE 306



SAIL 266



SPOTTY 330



SURF 182



TORNADO 362



TRIS 186



TRUNK 98



UFO 102



VAPOR 66



ZEN 252

SUSPENSIONS



A TUBE 268
AMOURETTE 94
AT 48
BIG MEC 336
BUBBLE 164
CHOP 312
CURL MY LIGHT 84
GRACE 218
KELLY 28
LACE 153
LASER 294
LOLE 206
MANIA 274
NUVOLA 20
OVI/RONDO' 156
PURALUCE 110
ROCK 196
SOAP 322
SURF 182
TRIS 186
TRUNK 98
UFO 102
VAPOR 66
ZEN 252


CEILING




A TUBE 268
B BOX 346
BUBBLE 164
CHOP 312
COPPA 136
DUFFLE 76
EYE 278
GRACE 218
INPIANO 244
LACE 153
LOLE 206
MINIMANIA 127
PROBE 234
PURALUCE 110
ROCK 196
TRIS 186



AT 48
BANGLE 118
BUBBLE 164
CHOP 312
COPPA 136
CURL MY LIGHT 84
DUFFLE 76
EYE 278
GRACE 218
INCANTO 248
INPIANO 244
LANCIA 146
LASER 294
LOLE 206
MINIMANIA 127
PROBE 234
PURALUCE 110
REMABEL 174
ROCK 196
SAIL 266
SLIM 262
SOPHIE 306
SPOTTY 330
TRIS 186
VAPOR 66



AT 48
CURL MY LIGHT 84
GRACE 218
LASER 294
MENIR 290
ROCK 196
VAPOR 66



BLOW 62
BUONANOTTE 340
CURL MY LIGHT 84
GRACE 218
KELLY 28
MAGNETITA 286
MINIMANIA 127
PURALUCE 110
ROCK 196
SOAP 322
VAPOR 66

RECESSED



A TUBE 348
B BOX 346
HIDE 350
ICE 352
ISTEP 354
PINA 358
PANICO 356



COPENHAGEN 372
TORNADO 362





legenda / legend

finiture metalliche galvaniche / galvanic metal finishes



finiture metalliche verniciate / painted metal finishes



finiture metalliche verniciate per esterni / powder coating metal finishes




finiture preziose / precious finishes




vetro / glass



tessuto / fabric



resina / resin



metacrilato / methacrylate





nuvola

design: Denis Santachiara 2005



**LAMPADA A SOSPENSIONE
AD EMISSIONE DI LUCE
DIFFUSA CON DIFFUSORE IN
TESSUTO IGNIFUGO
SUSPENDED LUMINAIRE
FOR DIFFUSED LIGHTING
WITH DIFFUSER IN
FIREPROOF FABRIC**




THE LIGHTING
MAKERS







Sacchetto per il lavaggio.
Washing/ cleaning bag.





nuvola

	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list	
			fluorescent		led	
Suspension Mini	SO4	NO / NO	E27	L max cm 12 max 2x23W	L max cm 12 2x max	Ø 0.5 m CE IP20
Suspension Small	SO3	NO / NO	E27	L max cm 12 max 4x23W	L max cm 12 4x max	Ø 0.5 m CE IP20
Suspension Medium	SO2	NO / NO	E27	max 4x30W	4x max	Ø 0.5 m CE IP20
Suspension Large	SO1	NO / NO	E27	max 8x30W	8x max	Ø 0.5 m CE IP20


Finiture / Finishes

diffusore / diffuser	Ovatta di Poliestere Polyester Wadding	ovatta wadding
montatura / frame	Metallo Metal	cromo chrome

note / notes Usare solo lampadine fluorescenti o led / Only fluorescent or led lamps can be used

Le versioni **Mini** e **Small** non sono motorizzate / The versions **Mini** and **Small** are not motorized

FOR USA AND CANADA	Suspension Mini SO4	Suspension Small SO3	Suspension Medium SO2	Suspension Large SO1
lamp socket	E26	E26	E26	E26
max wattage	2x max 23W	4x max 23W	4x max 24W	8x max 24W
symbol				
fixture supplied with backplate	NO	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES	YES
certifications	---	---	---	---
note	Only CFL / LED L max cm 12	Only CFL / LED L max cm 12	Only CFL / LED	Only CFL / LED



kelly


Lampada a sospensione in metallo verniciato ad emissione di luce diffusa.


Suspension lamp in painted metal for diffuse lighting.

DESIGN: Andrea Tosetto 2012/2013













Kelly


kelly
































kelly


	dim. / con dimmer dim. / with dimmer	portalampade lamp socket	simbolo / watt symbol / watt				marchi mark list			
			halogen	fluorescent	led					
Suspension Medium dome SO1	YES / NO	E27	 max 3x46W eco	 L max cm 12 max 3x23W	 L max cm 12 3x max	0,5 m	CE	ES	PG	IP20
Suspension Large dome SO	YES / NO	E27	 max 4x46W eco	 L max cm 12 max 4x23W	 L max cm 12 4x max	0,5 m	CE	ES	PG	IP20

Finiture / Finishes

diffusore / diffuser	Vetro Glass	 bianco latte lucido glossy milk white
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010

note / notes  Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Suspension Medium dome SO1	Suspension Large dome SO
lamp socket	E26	E26
max wattage	3x max 23W	3x max 23W
symbol		
fixture supplied with backplate	NO	NO
mounts to standard 4" j-box	YES	YES
certifications		
note	L max cm 12	L max cm 12



Suspension **Medium dome** SO1

Suspension **Large dome** SO


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt				marchi mark list
			halogen	fluorescent	led		
Suspension Small sphere SO2	YES / NO	E27	max 3x46W eco	L max cm 12 max 3x23W	L max cm 12 3x max	Ø 0,5 m CE V ENEC PG IP20	
Suspension Medium sphere SO3	YES / NO	E27	max 3x46W eco	L max cm 12 max 3x23W	L max cm 12 3x max	Ø 0,5 m CE V ENEC PG IP20	
Suspension Large sphere SO4	YES / NO	E27	max 4x46W eco	L max cm 12 max 4x23W	4x max	Ø 0,5 m CE V ENEC PG IP20	

Finiture / Finishes

diffusore / diffuser	Vetro Glass	bianco latte lucido glossy milk white
montatura / frame	Metallo Metal	bianco opaco 9010 matt white 9010

note / notes Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Suspension Small sphere SO2	Suspension Medium sphere SO3	Suspension Large sphere SO4
lamp socket	E26	E26	E26
max wattage	3x max 23W	max 3x23W/3x max 23W	3x max 23W
symbol			
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES
certifications			
note	L max cm 12	L max cm 12	---



Suspension **Small Sphere** SO2

Suspension **Medium Sphere** SO3

Suspension **Large Sphere** SO4

kelly

	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt				marchi mark list
			halogen	fluorescent	led		
Standing Mini sphere TA	NO / NO	GX53	---	---	LED 3000K - 320 lm 4,5W	0,5 m CE V ES IP20	
Standing Small sphere TA1	YES / NO	E27	max 3x46W eco	L max cm 12 max 3x23W	L max cm 12 3x max	0,5 m CE V ES IP20	
Standing Large sphere TA2	YES / NO	E27	max 4x46W eco	max 4x23W	4x max	0,5 m CE V ES IP20	

Finiture / Finishes


diffusore / diffuser	Vetro Glass	bianco latte lucido glossy milk white
montatura / frame	Metallo Metal	bianco opaco 9010 matt white 9010

note / notes Supporta il montaggio di lampadine a risparmio energetico (**Medium e Large**) / Retrofit energy saving lamps can be installed (**Medium and Large**)


FOR USA AND CANADA	Standing Small sphere TA	Standing Small sphere TA1	Standing Mini sphere TA2
lamp socket	---	E26	E26
max wattage	4,5W	3x max 23W	4x max 23W
symbol	LED		
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	NO	NO	NO
certifications	---	---	---
note		L max cm 12	---



Ø cm 18 7.08"



Ø cm 40 15.74"




Ø cm 80 31.49"



cm 7.5 2.95"



cm 17 6.69"



cm 30.5 12"

Standing **Mini Sphere** TA

Standing **Small Sphere** TA1

Standing **Large Sphere** TA2

**LAMPADA CROMATA
CON DIFFUSORI IN
METACRILATO DA
PARETE,
SOSPENSIONE,
E TERRA.**

at




DESIGN: Carlos J. Ramirez 2011


**WALL,
SUSPENSION AND
FLOOR LAMP WITH
METHACRYLATE
DIFFUSERS.**


















**THE LIGHTING
MAKERS**





STUDIO
ITALIA DESIGN
LIGHTING MAKERS



at

at


	dim. / con dimmer dim. / with dimmer	portalampade lamp socket	simbolo / watt symbol / watt			marchi mark list		
			halogen	fluorescent	led			
Wall Small	AP1	YES / NO	E27	max 1x77W eco	max 1x22W	1x max	0,5 m CE	IP20
Wall Medium	AP	YES / NO	E27	max 2x77W eco	max 2x22W	2x max	0,5 m CE	IP20
Floor	LT	YES / YES	E27	max 2x77W eco	max 2x22W	2x max	0,5 m CE	IP20
Pendent screen	SOT	---	---	---	---	---	CE	

Finiture / Finishes

diffusore / diffuser	Metacrilato Methacrylate	trasparente transparent	bianco lucido glossy white	nero lucido glossy black
montatura / frame	Metallo Metal	cromo chrome		

note / notes Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Wall Small AP1	Wall Medium AP	Floor LT	Pendent screen SOT
lamp socket	E26	E26	E26	---
max wattage	1x max 75W	2x max 75W	2x max 75W	---
symbol				---
fixture supplied with backplate	NO	NO	NO	---
mounts to standard 4" j-box	YES	YES	NO	---
certifications				---
note				---



at


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list		
			halogen	fluorescent	led			
Suspension Mini	SO3	YES / NO	E27	max 1x77W eco	max 1x22W	1x max	Ø 0,5 m CE	IP20
Suspension Small	SO2	YES / NO	E27	max 1x77W eco	max 1x22W	1x max	Ø 0,5 m CE	IP20
Suspension Medium	SO1	YES / NO	E27	max 2x77W eco	max 2x22W	2x max	Ø 0,5 m CE	IP20
Suspension Large	SO	YES / NO	E27	max 4x77W eco	max 4x22W	4x max	Ø 0,5 m CE	IP20

Finiture / Finishes

diffusore / diffuser	Metacrilato Methacrylate	trasparente transparent	bianco lucido glossy white	nero lucido glossy black
montatura / frame	Metallo Metal	cromo chrome		


note / notes Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Suspension Mini SO3	Suspension Small SO2	Suspension Medium SO1	Suspension Large SO
lamp socket	E26	E26	E26	E26
max wattage	1x max 75W	1x max 75W	2x max 75W	4x max 75W
symbol				
fixture supplied with backplate	NO	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES	YES
certifications				
note				




cm 25 9.84"

cm 12.7x12.7




@36

Suspension **Mini** SO3




cm 35 13.78"

cm 16x7 6.3"x2.75"




@80

Suspension **Small** SO2




cm 54 21.25"

cm 24x7 9.44"x2.75"



@120


Suspension **Medium** SO1



cm 123 48.42"

cm 84x7 33.07"x2.75"

cm 12.7x12.7



@260

Suspension **Large** SO

**LAMPADA DA TAVOLO CON
DIFFUSORE IN VETRO
SOFFIATO
AD EMISSIONE DI LUCE
DIRETTA.
TABLE LAMP WITH
DIFFUSER IN
HAND-BLOWN GLASS
FOR DIRECT LIGHTING.**









blow


DESIGN: Arch. Pio e Tito Toso 2005




blow

	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Table	TA	NO / NO	GU4 	^{max} 1x25W eco      IP20

Finiture / Finishes

diffusore / diffuser	Vetro Soffiato Blown Glass	 cristallo crystal
montatura / frame	Metallo Metal	 cromo chrome

note / notes

FOR USA AND CANADA	Table TA
lamp socket	GU4
max wattage	1x max 35W
symbol	
fixture supplied with backplate	NO
mounts to standard 4" j-box	NO
certifications	---
note	---





Table TA





vapor

DESIGN: Karim Rashid 2012



**LAMPADA CON
DIFFUSORI IN
POLICARBONATO
OPACO DA PARETE,
TERRA, SOSPENSIONE
E TAVOLO.
WALL, TABLE,
SUSPENSION AND
FLOOR LAMP WITH
POLYCARBONATE FINS.**







vapor



THE LIGHTING MAKERS

























STUDIO
ITALIA DESIGN
LIGHTING MAKERS












vapor


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list	
			halogen	fluorescent	led		
Wall	AP	E27 + E27	 max 1x77W eco + 1x50W	 max 1x30W + 1x11W	 1x max + 1x max	 0,5 m CE ENEC ES PG	IP20
Table	TA	E27	 max 2x77W eco	 max 2x30W	 2x max	 0,5 m CE ENEC ES PG	IP20
Suspension	SO	E27 + E27	 max 1x77W eco + 1x50W	 max 1x30W + 1x11W	 1x max + 1x max	 0,5 m CE ENEC ES PG	IP20
Floor	LT1	E27 + R7s	 max 6x77W eco + 1x80W eco	 max 6x30W + 1x80W eco	 6x max + 1x80W eco	 0,5 m CE ENEC ES PG	IP20

Finiture / Finishes

diffusore / diffuser	Plexiglass Bisatinato Satin Plexiglass	 bianco opaco matt white	 nero opaco matt black
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010	 nero opaco 9005 matt black 9005

note / notes  Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Wall AP	Table TA	Suspension SO	Floor LT1
lamp socket	E26 + E26	E26	E26 + E26	E26
max wattage	1x max 70W + 1x max 50W	2x max 70W	1x max 70W + 1x max 50W	6x max 70W
symbol				
fixture supplied with backplate	NO	NO	NO	NO
mounts to standard 4" j-box	YES	NO	YES	NO
certifications	---	---	---	---
note				 No R7s lamp



75



DUFFLE

Design S.I.D. 2012

LAMPADA DA PARETE-SOFFITTO IN TESSUTO
ELASTICIZZATO STACCABILE E LAVABILE.
*WALL/CEILING LIGHT IN ELASTICATED
WASHABLE FABRIC.*





1


2

3



4

5



Tessuto elasticizzato
staccabile e lavabile.

*Removable and washable
stretchable fabric.*

DUFFLE









Lampada da parete-soffitto in tessuto elasticizzato staccabile e lavabile. *Wall/ceiling light in elasticated washable.*













duffle


		dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt				marchi mark list	
				fluorescent		led			
Wall / Ceiling Small	AP2 PL2	NO / NO	E27		max 3x30W		3x max	0.5 m	CE, V, ES, PC, IP20
Wall / Ceiling Medium	AP1 PL1	NO / NO	E27		max 4x30W		4x max	0.5 m	CE, V, ES, PC, IP20
Wall / Ceiling Large	AP PL	NO / NO	E27		max 4x30W		4 x max	0.5 m	CE, V, ES, PC, IP20

Finiture / Finishes


diffusore / diffuser	Tessuto Fabric	 bianco white	 avorio ivory
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010	

note / notes  Usare solo lampadine fluorescenti o led / Only fluorescent or led lamps can be used


FOR USA AND CANADA	Wall / Ceiling Small AP-PL	Wall / Ceiling Medium AP1-PL1	Wall / Ceiling Large AP2-PL2
lamp socket	E26	E26	E26
max wattage	3x max 30W	4x max 30W	4x max 30W
symbol			
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES
certifications	---	---	---
note	 Only CFL / LED	 Only CFL / LED	 Only CFL / LED



Wall / Ceiling **Small** AP2-PL2



Wall / Ceiling **Medium** AP1-PL1



Wall / Ceiling **Large** AP-PL

curl my light

Lampada da parete, sospensione, tavolo e terra in metallo verniciato ad emissione di luce diffusa.

Wall, suspension, table and floor lamp in painted metal for diffuse lighting.


DESIGN: Dima Loginoff 2010






curl my light










THE LIGHTING MAKERS





**STUDIO
ITALIA DESIGN**
LIGHTING MAKERS

curl my light




	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list	
			halogen	fluorescent	led		
Wall	AP	YES / NO	E27	max 1x77W eco	max 1x22W	1x max	0,5 m CE ENEC ES PG IP20
Floor Big	LT	NO / NO	E27	max 1x116W eco	max 1x30W	1x max	0,5 m CE ENEC ES PG IP20
Floor Tall	LT1	YES / YES	E27	max 2x77W eco	max 2x22W	2x max	0,5 m CE ENEC ES PG IP20

Finiture / Finishes

diffusore / diffuser	no none
montatura / frame	Metallo Metal bianco opaco 9010 matt white 9010 nero opaco 9005 matt black 9005

note / notes Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Wall AP	Floor Big LT	Floor Tall LT1
lamp socket	E26	E26	E26
max wattage	1x max 75W	1x max 100W	2x max 100W
symbol			
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	YES	NO	NO
certifications			
note			



curl my light




	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list	
			halogen	fluorescent	led		
Suspension Small	SO	YES / NO	E27	max 1x77W eco	max 1x22W	1x max	Ø 0,5 m CE IP20
Suspension Large	SO1	YES / NO	E27	max 1x116W eco	max 1x30W	1x max	Ø 0,5 m CE IP20
Table	TA	YES / YES	E27	max 1x116W eco	max 1x30W	1x max	Ø 0,5 m CE IP20

Finiture / Finishes

diffusore / diffuser	no none			
montatura / frame	<table border="0"> <tr> <td>Metallo Metal</td> <td> bianco opaco 9010 matt white 9010</td> <td> nero opaco 9005 matt black 9005</td> </tr> </table>	Metallo Metal	bianco opaco 9010 matt white 9010	nero opaco 9005 matt black 9005
Metallo Metal	bianco opaco 9010 matt white 9010	nero opaco 9005 matt black 9005		


note / notes Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Suspension Small SO	Suspension Large SO1	Table TA
lamp socket	E26	E26	E26
max wattage	1x max 75W	1x max 150W	1x max 100W
symbol			
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	YES	YES	NO
certifications			
note			




Ø cm 25 9.84"

Ø cm 12.7 5"




Suspension **Small** SO



Ø cm 45 17.71"

Ø cm 12.7 5"



Suspension **Large** SO1

Ø cm 25 9.84"

cm 26 10.23"



Table TA

amourette

*Lampada a sospensione in metallo verniciato
ad emissione di luce diffusa.*

*Suspension lamp in painted metal for diffuse
lighting.*

DESIGN: Dima Loginoff 2010.



















amourette

amou- rette

	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list
			halogen	fluorescent	led	
Suspension	SO	E27	 max 1x75W	 max 1x15W	 1x max	Ø0.5 m CE   IP20
Finiture / Finishes						
diffusore / diffuser	no none					
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010	 nero opaco 9005 matt black 9005			
note / notes	 Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed					

FOR USA AND CANADA	Suspension SO
lamp socket	GU10
max wattage	1x75W
symbol	
fixture supplied with backplate	NO
mounts to standard 4" j-box	YES
certifications	
note	



trunk

DESIGN: Dima Loginoff 2010

**Lampada a sospensione
con finitura soft touch ad
emissione di luce diretta.
Soft touch finishing
suspended luminaire
for direct lighting.**





black/white



black/yellow



black/green



black/fuxia

black/gold

black/silver

white/white

white/yellow

white/green






white/fuxia













white/gold


white/silver




trunk


	dim. / con dimmer dim. / with dimmer	portalampade lamp socket	simbolo / watt symbol / watt			marchi mark list
			halogen	fluorescent	led	
Suspension	SO YES / NO	E27	 max 1x75W	 max 1x15W	 1x max	0,5 m CE ENEC ES IP20

Finiture / Finishes

diffusore / diffuser	no none					
montatura / frame	Metallo Metal  nero ST bianco black ST white	 nero ST giallo black ST yellow	 nero ST fucsia black ST fuchsia	 nero ST verde acido black ST acid green	 nero ST foglia oro black ST gold leaf	 nero ST foglia argento black ST silver leaf
	 bianco ST bianco white ST white	 bianco ST giallo white ST yellow	 bianco ST fucsia white ST fuchsia	 bianco ST verde acido white ST acid green	 bianco ST foglia oro white ST gold leaf	 bianco ST foglia argento white ST silver leaf

note / notes  Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Suspension SO
lamp socket	GU10
max wattage	1x75W
symbol	
fixture supplied with backplate	NO
mounts to standard 4" j-box	YES
certifications	
note	



Suspension SO

ufo

DESIGN: Brian Rasmussen 2009

LAMPADA A SOSPENSIONE AD EMISSIONE DI LUCE
DIFFUSA.

SUSPENDED LUMINAIRE FOR DIFFUSED LIGHTING.





Ufo





STUDIO
ITALIA DESIGN
LIGHTING MAKERS







ufo




	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list	
			halogen	fluorescent	led		
Suspension Small	SO1	YES / NO	E27	max 1x46W eco	max 1x30W	1x max	0,5 m CE IP20
Suspension Large	SO2	YES / NO 1-10V	2G11	---	4x80W	---	0,5 m CE IP20

Finiture / Finishes

diffusore / diffuser	Metacrilato Methacrylate	bianco lucido glossy white	cromo lucido polished chrome	oro lucido polished gold
montatura / frame	Metallo Metal	bianco opaco 9010 matt white 9010		


note / notes Supporta il montaggio di lampadine a risparmio energetico (**Small**) / Retrofit energy saving lamps can be installed (**Small**)

FOR USA AND CANADA	Suspension Small SO1	Suspension Large SO2
lamp socket	E26	2G11
max wattage	1x max 60W	4x55W
symbol		
fixture supplied with backplate	NO	NO
mounts to standard 4" j-box	YES	YES
certifications		
note		---



Ø cm 45 17.71"


Ø cm 14 5.51"



max
cm 250


cm 42.5 16.73"

Suspension **Small** SO1



Ø cm 75.5 29.72"

Ø cm 21.5 8.46"



max
cm 250

cm 69.5 27.36"

Suspension **Large** SO2

puraluce

DESIGN: Arch. Marco Ferreri 2005

LAMPADA DA PARETE/SOFFITTO, SOSPENSIONE
E TAVOLO AD EMISSIONE DI LUCE DIFFUSA CON
DIFFUSORE IN METACRILATO TRASPARENTE.

*WALL/CEILING, SOSPENSION AND TABLE LAMP
FOR DIFFUSED LIGHTING WITH DIFFUSER IN
CLEAR ACRYLIC.*





THE LIGHTING MAKERS


















puraluce


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Ceiling	PL NO / NO	2GX13	 1x22W	0.5 m CE ENEC ES ENEC IP20
Suspension	SO NO / NO	2GX13	 1x22W	0.5 m CE ENEC ES ENEC IP20
Table	TA NO / NO	2GX13	 1x22W	0.5 m CE ENEC ES ENEC IP20

Finiture / Finishes

	Ceiling Suspension	Table
diffusore / diffuser	Polycarbonato Polycarbonate  trasparente transparent	 trasparente transparent
montatura / frame	Metallo Metal  nickel satinato matt nickel	no none

note / notes

FOR USA AND CANADA	Ceiling PL	Suspension SO	Table TA
lamp socket	2GX13	2GX13	2GX13
max wattage	1x22W	1x22W	1x22W
symbol			
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	YES	YES	NO
certifications	---	---	---
note	---	---	---



**LAMPADA DA
PARETE IN
VETRO.
DISPONIBILE
ANCHE IN
VERSIONE LED.**

**GLASS WALL
LAMP.
AVAILABLE IN
LED.**

BANGLE

DESIGN: S.I.D. 2012






Bangle
























bangle


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Wall Large led	AP NO / NO	---	LED 2800K - 800 lm 7W	0,5 m CE ENEC ES PG IP20
Wall Small halo	AP2 YES / NO	R7s	 max 1x120W eco	0,5 m CE ENEC PG IP20
Wall Medium halo	AP1 YES / NO	R7s	 max 1x120W eco	0,5 m CE ENEC PG IP20

Finiture / Finishes



diffusore / diffuser	Vetro Termoformato Thermoformed Glass	Led  bianco latte lucido glossy milk white	Halo  rosso lucido glossy red	 bianco latte lucido glossy milk white	 nero lucido glossy black
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010	 cromo chrome		

note / notes Driver incluso nei modelli Led / Driver included on Led Models



FOR USA AND CANADA	Wall Large led AP	Wall Small halo AP2	Wall Medium halo AP1
lamp socket	---	R7s	R7s
max wattage	7W	1x max 150W	1x max 150W
symbol	LED		
fixture supplied with backplate	YES	YES	YES
mounts to standard 4" j-box	YES	YES	YES
certifications			
note	Only with remote driver 700 mA - 12V	---	---



Wall **Large led** AP



Wall **Small halo** AP2



Wall **Medium halo** AP1

minimania

*Lampada da parete/soffitto
e tavolo, orientabile.*

DESIGN: Arch. Alberto Gherardi 1998- 2010

*Wall/ceiling and table
adjustable lamp.*











white



amber



red



brown

cromo/chrome



white



amber



red



brown

nickel/nickel

THE LIGHTING MAKERS




















STUDIO
ITALIA DESIGN
LIGHTING MAKERS












mini- mania


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list		
			halogen	led			
Wall / Ceiling Metal	1	GU10	 max 1x40W eco	 L max cm 5,5 1x max	0,5m	CE, ENEC, ES, PC	IP20
Wall / Ceiling Glass	2	G9	 max 1x48W eco	---	0,5m	CE, ENEC, PC	IP20
Wall / Ceiling Glass switch	2P	G9	 max 1x48W eco	---	0,5m	CE, ENEC, PC	IP20
Table Glass	TA	G9	 max 1x33W eco	---	0,5m	CE, ENEC, PC	IP20

Finiture / Finishes

		Glass		Metal	
diffusore / diffuser	Vetro Soffiato Blown Glass	 bianco latte satinato matt milk white	 rosso satinato matt red	 no none	
		 giallo ambra satinato matt amber light	 tabacco lucido glossy tobacco		
montatura / frame	Metallo Metal	 cromo chrome	 nickel satinato matt nickel	 bianco opaco 9010 matt white 9010	 cromo chrome  nickel satinato matt nickel

note / notes  Supporta il montaggio di lampadine a risparmio energetico (**Metal**) / Retrofit energy saving lamps can be installed (**Metal**)

FOR USA AND CANADA	Wall / Ceiling Metal 1	Wall / Ceiling Glass 2	Wall / Ceiling Glass switch 2P	Table TA
lamp socket	GU10	G9	G9	G9
max wattage	1x max 60W	1x max 40W	1x max 40W	1x max 40W
symbol				
fixture supplied with backplate	YES	YES	YES	NO
mounts to standard 4" j-box	YES	YES	YES	NO
certifications				---
note		---	---	---



Wall **Metal** 1

Wall **Glass** 2

Wall **Glass Switch** 2P

Table **TA**



coppa

DESIGN: Karim Rashid 2011

LAMPADA DA PARETE E
SOFFITTO AD EMISSIONE
DI LUCE DIRETTA.
WALL OR CEILING
MOUNTED LUMINAIRE
FOR DIRECT LIGHTING.





coppa



red



white



silver



gold



white - gold



white-copper



white





THE LIGHTING MAKERS















coppa


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list
			halogen	led	
Wall / Ceiling	AP PL YES / NO	GU10	 max 1x28W eco	 L max cm 5,5 1x max	0.5 m CE ENEC ES PG IP20

Finiture / Finishes

diffusore / diffuser	no none				
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010	 bianco opaco 9010 argento verniciato matt white 9010 painted silver	 bianco opaco 9010 oro verniciato matt white 9010 painted gold	 bianco opaco 9010 rame verniciato matt white 9010 painted copper
		 rosso opaco 3001 matt red 3001	 argento verniciato painted silver	 oro verniciato painted gold	

note / notes  Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Wall / Ceiling AP-PL
lamp socket	GU10
max wattage	1x max 35W
symbol	
fixture supplied with backplate	NO
mounts to standard 4" j-box	YES
certifications	---
note	





lancia


DESIGN: Andrea Tosetto 1992

LAMPADA DA PARETE IN VETRO SOFFIATO.
WALL LIGHT IN HAND-BLOWN GLASS.
























lancia


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list		
			halogen	led			
Wall Small	AP4	YES / NO	G9	 max 2x48W eco	---	0,5 m CE V PG	IP20
Wall Large	AP1	YES / NO	E14	 max 2x48W eco	 1x max	0,5 m CE V ES PG	IP20

Finiture / Finishes

diffusore / diffuser	Vetro Soffiato Blown Glass	Large  bianco latte satinato matt milk white	Small  giallo ambra satinato matt amber light
montatura / frame	Metallo Metal	 nickel satinato matt nickel	

note / notes  Supporta il montaggio di lampadine a risparmio energetico (**Large**) / Retrofit energy saving lamps can be installed (**Large**)

FOR USA AND CANADA	Wall Small AP4	Wall Large AP1
lamp socket	G9	E12
max wattage	2x max 40W	2x max 40W
symbol		
fixture supplied with backplate	YES	YES
mounts to standard 4" j-box	YES	YES
certifications	 	
note	---	



lace

DESIGN: S.I.D. 2003

LAMPADA DA SOFFITTO E SOSPENSIONE
IN VETRO SOFFIATO.





*CEILING OR SUSPENSION MOUNTED
LUMINAIRE IN HAND-BLOW GLASS.*














lace


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list
			halogen	led	
Ceiling	PL YES / NO	GU10	 max 1x75W	 1x max	0.5 m CE V ES PG IP20
Suspension	SO YES / NO	E14	 max 1x20W eco	 1x max	0.5 m CE V PG IP20

Finiture / Finishes


diffusore / diffuser	Vetro Soffiato Blown Glass	 cristallo crystal
montatura / frame	Metallo Metal	 cromo chrome

note / notes  Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Ceiling PL	Suspension SO
lamp socket	GU10	E12
max wattage	1x max 50W	1x max 28W
symbol		
fixture supplied with backplate	NO	NO
mounts to standard 4" j-box	YES	YES
certifications		
note		



Ceiling PL




Suspension SO

OVI'

*Lampada a sospensione in vetro
ad emissione di luce diffusa.*

*Suspended glass luminaire for
diffused lighting.*

DESIGN: S.I.D. 1979





Rondò

DESIGN: S.I.D. 1979

Lampada a sospensione in
vetro ad emissione di luce
diffusa.

*Suspended glass luminaire
for diffused lighting.*





OVI' & RONDO' led







Telecomando/remote control





ovì


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Suspension Small halo	SO1 YES / NO	R7s	 max 1x230W eco	0,5 m CE ENEC PG IP20
Suspension Small led	SO4 YES / YES PWM signal	---	 3000K - 2400 lm 25W	0,5 m CE ENEC ES ENEC PG IP20
Suspension Large halo	SO YES / NO	R7s	 max 1x230W eco	0,5 m CE ENEC PG IP20
Suspension Large led	SO5 YES / YES PWM signal	---	 3000K - 2400 lm 25W	0,5 m CE ENEC ES ENEC PG IP20

Finiture / Finishes





diffusore / diffuser	Vetro Termoformato Thermoformed Glass	 cristallo sabbato sandblasted crystal
montatura / frame	Metallo Metal	 nickel spazzolato brushed nickel

note / notes Modelli led dotati di telecomando On/Off/Dimmer / Led models are featured with On/Off/Dimmer controller


FOR USA AND CANADA	Suspension Small halo SO1	Suspension Small led SO4	Suspension Large halo SO	Suspension Large led SO5
lamp socket	R7s	---	R7s	---
max wattage	1x max 300W	25W	1x max 300W	25W
symbol		LED		LED
fixture supplied with backplate	NO	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES	YES
certifications	---	---	---	---
note	---	---	---	---



rondò


	dim. / con dimmer dim. / with dimmer	portalampade lamp socket	simbolo / watt symbol / watt	marchi mark list
Suspension Small halo	SO1 YES / NO	R7s	 max 1x230W eco	0,5 m CE ENEC PG IP20
Suspension Small led	SO6 YES / YES PWM signal	---	 3000K - 2400 lm 25W	0,5 m CE ENEC PG IP20
Suspension Large halo	SO YES / NO	R7s	 max 1x230W eco	0,5 m CE ENEC PG IP20
Suspension Large led	SO7 YES / YES PWM signal	---	 3000K - 2400 lm 25W	0,5 m CE ENEC PG IP20

Finiture / Finishes

diffusore / diffuser	Vetro Termoformato Thermoformed Glass	 cristallo sabbato sandblasted crystal
montatura / frame	Metallo Metal	 nickel spazzolato brushed nickel

note / notes Modelli led dotati di telecomando On/Off/Dimmer / Led models are featured with On/Off/Dimmer controller

FOR USA AND CANADA	Suspension Small halo SO1	Suspension Small led SO6	Suspension Large halo SO	Suspension Large led SO7
lamp socket	R7s	---	R7s	---
max wattage	1x max 300W	25W	1x max 300W	25W
symbol		LED		LED
fixture supplied with backplate	NO	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES	YES
certifications	---	---	---	---
note	---	---	---	---




bubble


design: SID 1950-1982

LAMPADA IN VETRO SOFFIATO DA
PARETE/SOFFITTO E SOSPENSIONE.
*HAND-BLOWN GLASS WALL/CEILING OR
SUSPENSION LAMP.*



**BUBBLE E' STATA
DISEGNATA NEL 1950.
IL DESIGN DI QUALITA'
NON HA TEMPO.
BUBBLE,
DESIGNED IN 1950.
THE QUALITY IS
TIMELESS.**













169













bubble


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Wall / Ceiling Small	AP3 PL3 YES / NO	G9	 max 3x48W eco	∅0,5m CE F PG IP20
Wall / Ceiling Medium	AP2 PL2 YES / NO	G9	 max 3x48W eco	∅0,5m CE F PG IP20
Wall / Ceiling Large	AP1 PL1 YES / NO	G9	 max 4x33W eco	∅0,5m CE F PG IP20
Suspension	SO YES / NO	G9	 max 3x48W eco	∅0,5m CE F PG IP20

Finiture / Finishes

diffusore / diffuser	Vetro Soffiato Blown Glass	 bianco latte satinato matt milk white
montatura / frame	Metallo Metal	 nickel satinato matt nickel

note / notes

FOR USA AND CANADA	Wall / Ceiling Small AP3-PL3	Wall / Ceiling Medium AP2-PL2	Wall / Ceiling Large AP1-PL1	Suspension SO
lamp socket	G9	G9	G9	E12
max wattage	3x max 60W	3x max 60W	4x max 40W	3x max 40W
symbol				
fixture supplied with backplate	NO	NO	NO	YES
mounts to standard 4" j-box	YES	YES	YES	YES
certifications				
note	---	---	---	---



Wall / Ceiling **Small** AP3-PL3

Wall / Ceiling **Medium** AP2-PL2

Wall / Ceiling **Large** AP1-PL1

Suspension **SO**



remabel

DESIGN: S.I.D. 2003/2012

Lampada da parete in vetro soffiato. Disponibile anche in versione LED.

Blown glass wall lamp. Available in LED.





remabel



THE LIGHTING MAKERS















**STUDIO
ITALIA DESIGN**
LIGHTING MAKERS





remabel

	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Wall Small halo AP2	YES / NO	R7s	 max 1x120W eco	0,5 m CE  IP20
Wall Small led AP3	NO / NO	---	 2800K - 800 lm 7W	0,5 m CE   IP20
Wall Large halo AP	YES / NO	R7s	 max 1x160W eco	0,5 m CE  IP20
Wall Large led AP1	NO / NO	---	 2800K - 1100 lm 12W	0,5 m CE   IP20

Finiture / Finishes

diffusore / diffuser	Vetro Soffiato Blown Glass	 bianco latte satinato matt milk white
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010

note / notes

FOR USA AND CANADA	Wall Small halo AP2	Wall Small led AP3	Wall Large halo AP	Wall Large led AP1
lamp socket	R7s	---	R7s	---
max wattage	1x max 150W	7W	1x max 200W	12W
symbol		LED		LED
fixture supplied with backplate	YES	NO	YES	NO
mounts to standard 4" j-box	YES	YES	YES	YES
certifications	---	---	---	---
note	---	Only with remote driver 700 mA - 12V	---	Only with remote driver 350 mA - 12V


cm 9
3.54"



cm 18
7.08"



cm 12
4.72"



cm 12
4.72"



cm 22 8.66"

cm 22 8.66"

Wall **Small halo** AP2
Wall **Small led** AP3

Wall **Large halo** AP
Wall **Large led** AP1

surf


DESIGN: S.I.D. 2003

LAMPADA A SOSPENSIONE IN VETRO AD EMISSIONE DI LUCE
DIRETTA E DIFFUSA.





*GLASS SUSPENDED LUMINAIRE FOR DIRECT AND DIFFUSED
LIGHTING.*











surf

	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Suspension	SO2 YES / NO	G9	 max 10x33W eco	0,5 m    IP20

Finiture / Finishes

diffusore / diffuser	Vetro Glass	 cristallo sabbiato sandblasted crystal
montatura / frame	Metallo Metal	 nickel satinato matt nickel
note / notes		

FOR USA AND CANADA	Suspension SO2
lamp socket	G9
max wattage	10x max 40W
symbol	
fixture supplied with backplate	NO
mounts to standard 4" j-box	YES
certifications	---
note	---



Suspension SO2

tris

DESIGN: S.I.D. 2005

*Lampada da parete/soffitto e
sospensione in vetro ad
emissione di luce diffusa.
Wall/ceiling and suspended
glass luminaire for diffused
lighting.*






THE LIGHTING MAKERS


















tris







	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list		
			halogen	fluorescent	led			
Wall / Ceiling Small	AP2 PL2	YES / NO	G9	 max 3x48W eco	---	---	0,5m CE ENEC PG	IP20
Wall / Ceiling Medium	AP1 PL1	YES / NO	G9	 max 6x48W eco	---	---	0,5m CE ENEC PG	IP20
Wall / Ceiling Large	AP PL	YES / NO	E27	 max 6x57W eco	 max 6x23W	 6x max	0,5m CE ENEC ENEC PG	IP20


Finiture / Finishes

diffusore / diffuser	Vetro Glass	Small Medium  rosso lucido Large  glossy red	 bianco latte lucido glossy milk white	 nero lucido glossy black	Small Medium  cromo lucido polished chrome
----------------------	----------------	---	--	---	---

montatura / frame	Metallo Metal	 cromo chrome
-------------------	------------------	--

note / notes

FOR USA AND CANADA	Wall / Ceiling Small AP2-PL2	Wall / Ceiling Medium AP1-PL1	Wall / Ceiling Large AP-PL
lamp socket	E12	G24q-3	GX24q-3
max wattage	3x max 60W	3x26W	6x26W
symbol			
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES
certifications			
note	---	---	---








Wall / Ceiling **Small** AP2-PL2



Wall / Ceiling **Medium** AP1-PL1

Wall / Ceiling **Large** AP-PL







tris


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list		
			halogen	fluorescent	led			
Suspension Small	SO2	YES / NO	G9	 max 3x48W eco	---	---	0,5 m CE V PG	IP20
Suspension Medium	SO1	YES / NO	G9	 max 6x48W eco	---	---	0,5 m CE V PG	IP20
Suspension Large	SO	YES / NO	E27	 max 6x57W eco	 max 6x23W	 6x max	0,5 m CE V ES PG	IP20

Finiture / Finishes

diffusore / diffuser	Vetro Glass	Small  rosso lucido Medium Large glossy red	 bianco latte lucido glossy milk white	 nero lucido glossy black	Small  cromo lucido Medium polished chrome
montatura / frame	Metallo Metal	 cromo chrome			

note / notes

FOR USA AND CANADA	Suspension Small SO2	Suspension Medium SO1	Suspension Large SO
lamp socket	E12	G24q-3	GX24q-3
max wattage	3x max 60W	3x26W	6x26W
symbol			
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES
certifications			
note	---	---	---





rock

DESIGN: S.I.D. 2011

LAMPADA DA TERRA/PARETE/
SOFFITTO E TAVOLO IN
VETRO SOFFIATO ARTISTICO.
FLOOR/WALL/CEILING AND
TABLE LAMP IN HAND-BLOWN
ARTISTIC GLASS.




THE LIGHTING MAKERS





**STUDIO
ITALIA DESIGN**
LIGHTING MAKERS







rock


		dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list		
				halogen	fluorescent	led			
Wall / Ceiling Small	AP2 PL2	YES / NO	E14	max 1x46W eco	---	1x max	0,5 m	CE, ENEC, ES, PC	IP20
Wall / Ceiling Medium	AP1 PL1	YES / NO	E27	max 1x116W eco	max 1x23W	1x max	0,5 m	CE, ENEC, ES, PC	IP20
Wall / Ceiling Large	AP PL	YES / NO	E27	max 1x116W eco	max 1x23W	1x max	0,5 m	CE, ENEC, ES, PC	IP20

Finiture / Finishes

diffusore / diffuser	Vetro Soffiato Blown Glass	bianco latte satinato matt milk white
montatura / frame	Metallo Metal	bianco opaco 9010 matt white 9010

note / notes Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Wall / Ceiling Small AP2-PL2	Wall / Ceiling Medium AP1-PL1	Wall / Ceiling Large AP-PL
lamp socket	E12	E26	E26
max wattage	1x max 60W	1x max 100W	1x max 100W
symbol			
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES
certifications			
note			











Wall / Ceiling **Small** AP2-PL2



Wall / Ceiling **Medium** AP1-PL1


Wall / Ceiling **Large** AP-PL










rock


		dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list	
				halogen	fluorescent	led		
Suspension Small	SO2	YES / NO	E14	 max 1x46W eco	---	 1x max	0,5 m	CE VDE ES PG IP20
Suspension Medium	SO1	YES / NO	E27	 max 1x116W eco	 max 1x23W	 1x max	0,5 m	CE VDE ES PG IP20
Suspension Large	SO	YES / NO	E27	 max 1x116W eco	 max 1x23W	 1x max	0,5 m	CE VDE ES PG IP20

Finiture / Finishes


diffusore / diffuser	Vetro Soffiato Blown Glass	 bianco latte satinato matt milk white
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010

note / notes  Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed


FOR USA AND CANADA	Suspension Small SO2	Suspension Medium SO1	Suspension Large SO
lamp socket	E12	E26	E26
max wattage	1x max 60W	1x max 100W	1x max 100W
symbol			
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES
certifications			
note			



Suspension **Small** SO2



Suspension **Medium** SO1



Suspension **Large** SO

rock


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list	
			halogen	fluorescent	led		
Table Small	TA2	YES / YES	E14	max 1x46W eco	---	1x max	Ø 0.5 m CE V ENEC IEC IP20
Table Medium	TA1	YES / YES	E27	max 1x116W eco	max 1x23W	1x max	Ø 0.5 m CE V ENEC IEC IP20
Table Large	TA	YES / YES	E27	max 1x116W eco	max 1x23W	1x max	Ø 0.5 m CE V ENEC IEC IP20
Floor	LT	YES / YES	E27	max 1x116W eco	max 1x23W	1x max	Ø 0.5 m CE V ENEC IEC IP20

Finiture / Finishes

diffusore / diffuser	Vetro Soffiato Blown Glass	bianco latte satinato matt milk white
montatura / frame	Metallo Metal	bianco opaco 9010 matt white 9010


note / notes Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Table Small TA2	Table Medium TA1	Table Large TA	Floor LT
lamp socket	E12	E26	E26	E26
max wattage	1x max 60W	1x max 100W	1x max 100W	max 1x max 100W
symbol				
fixture supplied with backplate	NO	NO	NO	NO
mounts to standard 4" j-box	NO	NO	NO	NO
certifications				
note				



205

LAMPADA DA PARETE/SOFFITTO, SOSPENSIONE
IN METALLO CROMATO CON DIFFUSORI IN VETRO
SOFFIATO E LAVORATO A MANO.
*WALL, CEILING AND SUSPENSION LUMINAIRE WITH
HAND BLOWN AND WORKED GLASS DIFFUSERS*



lole

DESIGN: Enrico Corradini 2010





207






THE LIGHTING MAKERS







STUDIO
ITALIA DESIGN
LIGHTING MAKERS









STUDIO
ITALIA DESIGN
LIGHTING MAKERS

lole


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list
			halogen	fluorescent	led	
Ceiling Medium square PL	YES / NO	E27	max 4x116W eco	max 4x30W	4x max	0,5 m CE ENEC ES PC IP20
Ceiling Large square PL1	YES / NO	E27	max 4x116W eco	max 4x30W	4x max	0,5 m CE ENEC ES PC IP20
Ceiling Medium fall PL2	YES / NO	E27	max 4x116W eco	max 4x30W	4x max	0,5 m CE ENEC ES PC IP20
Ceiling Large fall PL3	YES / NO	E27	max 4x116W eco	max 4x30W	4x max	0,5 m CE ENEC ES PC IP20
Wall AP	YES / NO	E27	max 2x116W eco	max 2x30W	2x max	0,5 m CE ENEC ES PC IP20

Finiture / Finishes

diffusore / diffuser	Vetro Glass	cristallo crystal	cristallo rosso crystal red	cristallo bianco crystal white	cristallo nero crystal black
montatura / frame	Metallo Metal	cromo chrome			

note / notes Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Ceiling Medium square PL	Ceiling Large square PL1	Ceiling Medium fall PL2	Ceiling Large fall PL3	Wall AP
lamp socket	E26	E26	E26	E26	E26
max wattage	4x max 100W	4x max 100W	4x max 100W	4x max 100W	2x max 100W
symbol					
fixture supplied with backplate	NO	NO	NO	NO	YES
mounts to standard 4" j-box	YES	YES	YES	YES	YES
certifications					
note					



Ceiling **Medium Square** PL













Ceiling **Large Square** PL1

Ceiling **Medium Fall** PL2






Ceiling **Large Fall** PL3


Wall AP













lole


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list	
			halogen	fluorescent	led		
Suspension Medium	SO	YES / NO	E27	 max 1x205W eco	 max 1x30W	 1x max	Ø0.5 m CE ENEC ES IEC IP20
Suspension Single large	SO1	YES / NO	E27	 max 1x205W eco	 max 1x30W	 1x max	Ø0.5 m CE ENEC ES IEC IP20
Suspension Double large	SO2	YES / NO	E27	 max 2x205W eco	 max 2x30W	 2x max	Ø0.5 m CE ENEC ES IEC IP20
Suspension Triple large	SO3	YES / NO	E27	 max 3x205W eco	 max 3x30W	 3x max	Ø0.5 m CE ENEC ES IEC IP20

Finiture / Finishes

diffusore / diffuser	Vetro Glass	 cristallo crystal	 cristallo rosso crystal red	 cristallo bianco crystal white	 cristallo nero crystal black
montatura / frame	Metallo Metal	 cromo chrome			

note / notes  Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Suspension Medium SO	Suspension Single Large SO1	Suspension Double Large SO2	Suspension Triple Large SO3
lamp socket	E26	E26	E26	E26
max wattage	1x max 100W	1x max 100W	2x max 100W	3x max 100W
symbol				
fixture supplied with backplate	NO	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES	YES
certifications				
note				



grace

design: Andrea Tosetto 2013

LAMPADA DA PARETE/SOFFITTO/ SOSPENSIONE/
TAVOLO E TERRA AD EMISSIONE DI LUCE DIFFUSA.
DIFFUSORE RIVESTITO IN COCOON.

WALL/CEILING/SUSPENSION/TABLE AND FLOOR
LAMP FOR DIFFUSE LIGHTING. DIFFUSER COVERED
BY COCOON.






Grace


219





THE LIGHTING MAKERS





STUDIO
ITALIA DESIGN
LIGHTING MAKERS







Grace









grace


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list		
			halogen	fluorescent	led			
Ceiling Medium cylinder PL1	YES / NO	E27	max 3x46W eco	L max cm 12 max 3x23W	L max cm 12 3x max	Ø 0,5 m	CE, ENEC, ES, IES, PG	IP20
Ceiling Large cylinder PL	YES / NO	E27	max 3x46W eco	L max cm 12 max 3x30W	3x max	Ø 0,5 m	CE, ENEC, ES, IES, PG	IP20
Wall / Ceiling Medium square PL3	NO / NO	E27	---	L max cm 12 max 4x18W	L max cm 12 4x max	Ø 0,5 m	CE, ENEC, ES, IES, PG	IP20
Wall / Ceiling Large square PL2	NO / NO	E27	---	L max cm 12 max 4x23W	L max cm 12 4x max	Ø 0,5 m	CE, ENEC, ES, IES, PG	IP20

Finiture / Finishes


diffusore / diffuser	Resina Resin	cocoon cocoon
montatura / frame	Metallo Metal	bianco opaco 9010 matt white 9010

note / notes Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed


FOR USA AND CANADA	Ceiling Medium cylinder PL1	Ceiling Large cylinder PL	Wall / Ceiling Medium square AP3-PL3	Wall / Ceiling Large square AP2-PL2
lamp socket	E26	E26	E26	E26
max wattage	3x max 23W	3x max 30W	4x max 18W	4x max 23W
symbol				
fixture supplied with backplate	NO	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES	YES
certifications	---	---	---	---
note	L max cm 12		L max cm 12	L max cm 12




Ceiling **Medium cylinder** PL1



Ceiling **Large cylinder** PL



















Wall / Ceiling **Medium square** AP3-PL3






Wall / Ceiling **Large square** AP2-PL2









grace


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt				marchi mark list	
			halogen		fluorescent		led	
Suspension Medium cylinder SO1	YES / NO	E27	 max 3x46W eco	 L max cm 12	 max 3x23W	 L max cm 12	3x max	0,5 m CE ENEC ES IEC IP20
Suspension Large cylinder SO	YES / NO	E27	 max 3x46W eco	 L max cm 12	 max 3x30W	 L max cm 12	3x max	0,5 m CE ENEC ES IEC IP20
Suspension Small cone SO4	YES / NO	E14	 max 2x46W eco	 L max cm 11	 max 2x11W	 L max cm 12	2x max	0,5 m CE ENEC ES IEC IP20
Suspension Medium cone SO3	YES / NO	E27	 max 2x46W eco	 L max cm 12	 max 2x23W	 L max cm 12	2x max	0,5 m CE ENEC ES IEC IP20

Finiture / Finishes


diffusore / diffuser	Resina Resin	 cococon cococon
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010

note / notes  Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed


FOR USA AND CANADA	Suspension Medium cylinder SO1	Suspension Large cylinder SO	Suspension Small cone SO4	Suspension Medium cone SO3
lamp socket	E26	E26	E14	E26
max wattage	3x max 23W	3x max 30W	2x max 11W	2x max 23W
symbol				
fixture supplied with backplate	NO	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES	YES
certifications	---	---	---	---
note	 L max cm 12		 L max cm 11	 L max cm 12




Suspension **Medium cylinder** SO1



Suspension **Large cylinder** SO



Suspension **Small cone** SO4



Ceiling **Medium Cone** SO3

grace


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list		
			halogen	fluorescent	led			
Table Cylinder	TA	NO / NO	E14	max 1x46W eco	---	1x max	∅0,5 m CE V PG	IP20
Table Cone	TA1	NO / NO	G9	max 1x48W eco	---	---	∅0,5 m CE V PG	IP20
Floor	LT	NO / NO	E27	max 1x46W eco	L max cm 12 max 1x23W	L max cm 12 1x max	∅0,5 m CE V	IP20

Finiture / Finishes

diffusore / diffuser	Resina Resin	cocoon cocoons
montatura / frame	Metallo Metal	bianco opaco 9010 matt white 9010

note / notes Supporta il montaggio di lampadine a risparmio energetico (Floor) / Retrofit energy saving lamps can be installed (Floor)

FOR USA AND CANADA	Table Cylinder TA	Table Cone TA1	Floor LT
lamp socket	E14	G9	E26
max wattage	1x max 60W	1x max 60W	1x max 23W
symbol			
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	NO	NO	NO
certifications	---	---	---
note			L max cm 12



probe


DESIGN: Karim Rashid 2011

*Lampada da parete e soffitto ad emissione
di luce diretta.*

*Wall or ceiling mounted luminaire for
direct lighting.*









THE LIGHTING
MAKERS
















probe






probe


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list	
			halogen		led	
Wall / Ceiling	AP PL YES / NO	GU10	 max 1x40W eco	 L max cm 6,5	1x max	0,5m CE ENEC ES PG IP20

Finiture / Finishes

diffusore / diffuser	no none	
montatura / frame	Metallo Metal  argento verniciato painted silver	 bianco opaco 9010 matt white 9010
	 bianco opaco 9010 giallo opaco 1018 matt white 9010 matt yellow 1018	 bianco opaco 9010 fucsia opaco 4010 matt white 9010 matt fuchsia 4010
		 bianco opaco 9010 verde acido matt white 9010 acid green

note / notes  Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Wall / Ceiling AP-PL
lamp socket	GU10
max wattage	1x max 50W
symbol	
fixture supplied with backplate	YES
mounts to standard 4" j-box	YES
certifications	---
note	



Wall / Ceiling AP-PL


**LAMPADA DA
PARETE E SOFFITTO
AD EMISSIONE DI
LUCE INDIRECTA.
WALL/CEILING
LIGHT FOR
INDIRECT LIGHTING.**

inpiano





DESIGN: Arch. Marco Ferreri 2008

















in piano


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket		simbolo / watt symbol / watt		marchi mark list
Wall / Ceiling Medium square	AP2 PL2	NO / NO	G24q-3		4x26W	0.5 m CE ENEC ES IEC IP20
Wall / Ceiling Large square	AP1 PL1	NO / NO	GX24q-4		4x42W	0.5 m CE ENEC ES IEC IP20
Wall / Ceiling Medium rectangle	AP PL	NO / NO	2G11		2x55W	0.5 m CE ENEC ES IEC IP20
Wall Large rectangle	AP3	NO / NO	G5		2x54W	0.5 m CE ENEC ES IEC IP20

Finiture / Finishes


diffusore / diffuser	Metallo / Acciaio Inox Metal / Inox Steel	 bianco opaco 9010 matt white 9010
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010

note / notes


FOR USA AND CANADA	Wall / Ceiling Medium square AP2-PL2	Wall / Ceiling Large square AP1-PL1	Wall / Ceiling Medium rectangle AP-PL	Wall Large rectangle AP3
lamp socket	G24q-3	GX24q-4	2G11	G5
max wattage	4x26W	4x42W	2x55W	2x54W
symbol				
fixture supplied with backplate	NO	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES	YES
certifications				
note	---	---	---	---




Wall / Ceiling **Medium square** AP2-PL2



Wall / Ceiling **Large square** AP1-PL1



Wall / Ceiling **Medium rectangle** AP-PL



Wall **Large rectangle** AP3

incanto


DESIGN: Arch. Marco Ferreri 2006

*Lampada da parete angolare in
acciaio lucido ad emissione di luce
indiretta.*







*Angular wall luminaire in mirror
finish polished stainless steel for
indirect lighting.*










incanto


	dim. / con dimmer dim. / with dimmer	portalampade lamp socket	simbolo / watt symbol / watt	marchi mark list
Wall	AP	NO / NO	G24q-3 	4x26W      IP20

Finiture / Finishes

diffusore / diffuser	Acciaio Inox Inox Steel	 acciaio inox lucido polished inox steel
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010

note / notes

FOR USA AND CANADA	Wall AP
lamp socket	G24q-3
max wattage	4x23W
symbol	
fixture supplied with backplate	YES
mounts to standard 4" j-box	YES
certifications	 
note	---



Wall AP



zen


DESIGN: Rocco Este 2008









LAMPADA A SOSPENSIONE IN METALLO VERNICIATO
BIANCO AD EMISSIONE DI LUCE DIRETTA ED INDIRETTA.
*SUSPENDED LUMINAIRE IN WHITE PAINTED METAL FOR
DIRECT AND INDIRECT LIGHTING.*





zen







	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list
Suspension Rectangular	SO4 YES / NO 1-10V double switch	G5 + G53	 + 	2x54W + 3x50W eco	0,5 m CE ENEC ES IEC PG IP20
Suspension Square	SO5 YES / NO 1-10V double switch	2G11 + G53	 + 	2x80W + 2x50W eco	0,5 m CE ENEC ES IEC PG IP20
Suspension Flat	SO6 YES / NO 1-10V double switch	R7s + G53	 + 	1x120W eco + 2x50W eco	0,5 m CE ENEC ES IEC PG IP20
Suspension Flat led	SO7 NO / NO	--- + G53	 + 	3000K - 1100 lm + 13.5W + 2x10W	0,5 m CE ENEC ES IEC PG IP20


Finiture / Finishes

diffusore / diffuser	no none
----------------------	------------

montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010
-------------------	------------------	---

note / notes  Supporta il montaggio di lampadine AR111 LED min. 10W (**Rect.**, **Square e Flat**) / Retrofit AR111 LED min. 10W lamps can be installed (**Rect.**, **Square and Flat**)

FOR USA AND CANADA	Suspension Rectangular SO4	Suspension Square SO5	Suspension Flat SO6	Suspension Flat led SO7
lamp socket	G5 + G53	R7s + G53	G5 + G53	---
max wattage	2x55W + 3x max 50W	2x55W + 2x max 50W	1x max 150W + 2x max 50W	---
symbol				---
fixture supplied with backplate	NO	NO	NO	---
mounts to standard 4" j-box	YES	YES	YES	---
certifications	---	---	---	---
note	---	---	---	---



zen-v

DESIGN: Rocco Este 2008

LAMPADA A SOSPENSIONE AD
EMISSIONE DI LUCE DIRETTA
ED INDIRETTA.

*SUSPENDED LUMINAIRE IN
WHITE PAINTED METAL FOR
DIRECT AND INDIRECT
LIGHTING.*





















zen v


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Suspension Rectangular glass	YES / NO 1-10V double switch	G5 + G53	 +  2x54W + 3x50W eco	0,5 m CE V ENEC PG IP20
Suspension Square glass	YES / NO 1-10V double switch	2G11 + G53	 +  2x80W + 2x50W eco	0,5 m CE V ENEC PG IP20
Suspension Flat glass	YES / NO 1-10V double switch	R7s + G53	 +  1x120W eco + 2x50W eco	0,5 m CE V ENEC PG IP20
Suspension Flat led glass	NO / NO	--- + G53	 +  3000K - 1100 lm + 13.5W + 2x10W	0,5 m CE V ENEC PG IP20

Finiture / Finishes

diffusore / diffuser	Vetro Glass	 bianco latte lucido glossy milk white	 nero lucido glossy black	 grigio tortora lucido glossy dove grey
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010		

note / notes  Supporta il montaggio di lampadine AR111 LED min. 10W (**Rect., Square e Flat**) / Retrofit AR111 LED min. 10W lamps can be installed (**Rect., Square and Flat**)

FOR USA AND CANADA	Suspension Rectangular glass SO4	Suspension Square glass SO5	Suspension Flat glass SO6	Suspension Flat led glass SO7
lamp socket	G5 + G53	R7s + G53	G5 + G53	---
max wattage	2x55W + 3x max 50W	2x55W + 2x max 50W	1x max 150W + 2x max 50W	---
symbol				---
fixture supplied with backplate	NO	NO	NO	---
mounts to standard 4" j-box	YES	YES	YES	---
certifications	---	---	---	---
note	---	---	---	---








slim




DESIGN: S.I.D. 2008

**LAMPADA DA PARETE
IN METALLO
VERNICIATO BIANCO AD
EMISSIONE DI LUCE
INDIRETTA.
WALL MOUNTED
LUMINAIRE IN WHITE
PAINTED METAL FOR
INDIRECT LIGHTING.**













slim

	dim. / con dimmer dim. / with dimmer	portalampane lamp socket		simbolo / watt symbol / watt		marchi mark list
Wall Small	AP8 YES / NO 1-10V	2G11		 1x36W	Ø 0,5 m	CE, ENEC, ES, IEC, IP20
Wall Medium	AP9 YES / NO 1-10V	2G11		 2x36W	Ø 0,5 m	CE, ENEC, ES, IEC, IP20
Wall Large	AP10 YES / NO 1-10V	2G11		 2x80W	Ø 0,5 m	CE, ENEC, ES, IEC, IP20

Finiture / Finishes

diffusore / diffuser	no none
montatura / frame	Metallo Metal  bianco opaco 9010 matt white 9010
note / notes	

FOR USA AND CANADA	Wall Small AP8	Wall Medium AP9	Wall Large AP10
lamp socket	2G11	2G11	2G11
max wattage	1x36W	2x36W	2x55W
symbol			
fixture supplied with backplate	YES	YES	YES
mounts to standard 4" j-box	YES	YES	YES
certifications			
note	---	---	---



sail



dim. / con dimmer portalampane simbolo / watt
 dim. / with dimmer lamp socket symbol / watt


Wall AP2 YES / NO R7s  max 1x120W eco 0,5m² CE   IP20


Finiture / Finishes

diffusore / diffuser no / none

montatura / frame Metallo / Metal cromo / chrome nickel satinato / matt nickel

note / notes

FOR USA AND CANADA	Wall AP2
lamp socket	R7s
max wattage	max 1x150W
symbol	
fixture supplied with backplate	YES
mounts to standard 4" j-box	YES
certifications	---
note	---



sail

DESIGN: Arch. Rodama 2002



**Lampada da
parete ad
emissione di
luce indiretta.
Wall mounted
luminaire for
indirect lighting.**


a/tube


Design S.I.D. 2013









LAMPADA DA SOFFITTO
AD EMISSIONE DI LUCE
DIRETTA.
CEILING MOUNTED
LUMINAIRE FOR DIRECT
LIGHTING.











a-tube

	dim. / con dimmer dim. / with dimmer	portalampade lamp socket	simbolo / watt symbol / watt		marchi mark list	
			halogen	led		
Suspension Small	SO2	YES / NO	GU10	 max 1x40W eco	 1x max	0,5 m CE ENEC ES PG IP20
Suspension Medium	SO3	YES / NO	GU10	 max 1x40W eco	 1x max	0,5 m CE ENEC ES PG IP20
Suspension Large	SO4	YES / NO	GU10	 max 1x40W eco	 1x max	0,5 m CE ENEC ES PG IP20

















Finiture / Finishes

diffusore / diffuser	no none		
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010	 grigio tortora opaco 1019 matt dove grey 1019
note / notes	 Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed		



FOR USA AND CANADA	Suspension Small SO2	Suspension Medium SO3	Suspension Large SO4
lamp socket	GU10	GU10	GU10
max wattage	1x max 50W	1x max 50W	1x max 50W
symbol			
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES
certifications	---	---	---
note			












a-tube


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list	
			halogen	led		
Ceiling Mini	PL6	YES / NO	GU10	 max 1x40W eco	 1x max	Ø 0,5 m CE   IP20
Ceiling Small	PL3	YES / NO	GU10	 max 1x40W eco	 1x max	Ø 0,5 m CE   IP20
Ceiling Medium	PL4	YES / NO	GU10	 max 1x40W eco	 1x max	Ø 0,5 m CE   IP20
Ceiling Large	PL5	YES / NO	GU10	 max 1x40W eco	 1x max	Ø 0,5 m CE   IP20

Finiture / Finishes

diffusore / diffuser	no none		
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010	 grigio tortora opaco 1019 matt dove grey 1019

note / notes  Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Ceiling Mini PL6	Ceiling Small PL3	Ceiling Medium PL4	Ceiling Large PL5
lamp socket	GU10	GU10	GU10	GU10
max wattage	1x max 50W	1x max 50W	1x max 50W	1x max 50W
symbol				
fixture supplied with backplate	NO	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES	YES
certifications	---	---	---	---
note				



MANIA E' STATA PROGETTATA NEL 1998.
CON LE SUE FORME SEMPRE ATTUALI E'
CAPACE DI INSERIRSI CON ARMONIA IN
OGNI LUOGO, CON DISCREZIONE O
CARATTERIZZANDO LO SPAZIO.

DESIGNED IN 1998.
WITH CONTEMPORARY SHAPE MANIA, WILL
SET EVERY SPACE. DISCRETE AND STRONG
SIGN THE SPACE.



DESIGN:
Arch. Alberto Gherardi 1998

*Lampada a sospensione ad emissione
di luce diretta.*




Suspension lamp for direct lighting.





275







mania

	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list	
			halogen		led	
Suspension SO1	YES / NO	GU10	 max 1x40W eco	 L max cm 5,5	1x max	

Finiture / Finishes

diffusore / diffuser	no none	
montatura / frame	Metallo Metal	 nickel satinato matt nickel
note / notes	 Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed	

FOR USA AND CANADA	Suspension SO1
lamp socket	E12
max wattage	1x max 40W
symbol	
fixture supplied with backplate	NO
mounts to standard 4" j-box	YES
certifications	
note	





MAGNETIC ATTRACTION

eye

DESIGN: Andrea Tosetto 2012

*Lampada in metallo
orientabile da
parete/soffitto e tavolo
a tecnologia LED.*

*Adjustable metal wall/
ceiling lamp with LED
technology.*







THE LIGHTING MAKERS







eye



	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Wall / Ceiling AP PL	NO / NO	GU10	only LED - L max cm 5,5 1x4W included 2800K	0,5 m IP20
Wall / Ceiling Switch AP1 PL1	NO / NO	GU10	only LED - L max cm 5,5 1x4W included 2800K	0,5 m IP20
Table TA	NO / NO	GU10	only LED - L max cm 5,5 1x4W included 2800K	0,5 m IP20

Finiture / Finishes

diffusore / diffuser	no none			
montatura / frame	Metallo Metal	cromo chrome	nickel satinato matt nickel	bianco lucido 9010 glossy white 9010
note / notes	Usare solo lampadine led / Only led lamps can be used			

FOR USA AND CANADA	Wall / Ceiling AP-PL	Wall / Ceiling Switch AP1-PL1	Table TA
lamp socket	GU10	GU10	GU10
max wattage	1x4W	1x4W	1x4W
symbol			
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	YES	YES	NO
certifications			
note	Only LED	Only LED	Only LED

Ø cm 8 3.14"



cm 10 3.93"



cm 8 3.14"

Ø cm 8 3.14"




cm 10 3.93"




cm 8 3.14"

Ø cm 8 3.14"



cm 23 9.05"

cm 8.5 3.34"



cm 6 2.36"

magnetita

DESIGN: Denis Santachiara 2009

Lampada da tavolo orientabile in alluminio spazzolato a tecnologia LED.





Adjustable table lamp in brushed aluminum with LED technology.








magne- tita

	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Table	TA1	NO / NO	--- LED 3000K-305m	5W 0,5 m ² CE     IP20

Finiture / Finishes

diffusore / diffuser	no none			
montatura / frame	Alluminio Aluminium	 alluminio spazzolato brushed aluminium		
note / notes				

FOR USA AND CANADA	Table TA1
lamp socket	---
max wattage	5W
symbol	LED
fixture supplied with backplate	NO
mounts to standard 4" j-box	NO
certifications	---
note	---





Table TA1

menir

DESIGN: Rocco Este 2008

LAMPADA
DA TERRA
IN METALLO
VERNICIATO
BIANCO.


FLOOR LAMP
IN WHITE
PAINTED
METAL.










menir


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Floor	LT YES / YES	G5 + R7s	 2x80W + 1x160W ^{max} eco	0.5m ³ CE E PC IP20

Finiture / Finishes

diffusore / diffuser	Vetro Glass	 cristallo sabbato sandblasted crystal
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010

note / notes

FOR USA AND CANADA	Floor LT
lamp socket	G5 + R7s
max wattage	2x80W + 1x max 200W
symbol	
fixture supplied with backplate	NO
mounts to standard 4" j-box	NO
certifications	---
note	---



Floor LT

laser

DESIGN: S.I.D. 2004

Lampada a sospensione, parete e terra in metallo
ad emissione di luce diretta.

*Suspension, wall and floor metal luminaire
for direct lighting.*







Laser

295









Laser















THE LIGHTING MAKERS









STUDIO
ITALIA DESIGN
LIGHTING MAKERS






laser

	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list
Wall 10x6	AP6 YES / NO	G9		max 1x48W eco	0,5m CE   IP20
Wall 10x10	AP5 YES / NO	G9		max 1x48W eco	0,5m CE   IP20
Wall Led	AP7 NO / NO	---		2800K - 600 lm 13W	0,5m CE    IP20

Finiture / Finishes






diffusore / diffuser	no none					
montatura / frame	Metallo / Acciaio Inox / Alluminio Metal / Inox Steel / Aluminum	10x6 10x10	 bianco opaco 9010 matt white 9010	 acciaio inox spazzolato brushed inox steel	 ruggine "corten" rust "weathering steel"	Led  alluminio spazzolato brushed aluminium

note / notes Diffusori in vetro opzionali inclusi (10x6 e 10x10) / Optional glass diffusers included (10x6 and 10x10)

FOR USA AND CANADA	Wall 10x6 AP6	Wall 10x10 AP5	Wall Led AP7
lamp socket	G9	G9	---
max wattage	1x max 60W	1x max 60W	13W
symbol			LED
fixture supplied with backplate	YES	YES	YES
mounts to standard 4" j-box	YES	YES	YES
certifications			
note	---	---	Only with remote driver 12VDC

Laser **Cube**

Laser







Wall **10x6** AP6

Wall **10x10** AP5

Wall **Led** AP7

laser




	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Floor Fluo	LT1 YES / YES	G5	 1x80W	0,5 m CE V ENEC PG IP20
Floor Led	LT3 YES / YES	---	 2800K - 2250 lm 50W	0,5 m CE V ENEC PG IP20
Suspension Halo	SO1 YES / NO	G9	 max 8x33W eco	0,5 m CE V PG IP20
Suspension Led	SO3 YES / NO DALI or TouchDIM	---	 2800K - 2050 lm 45W	0,5 m CE V ENEC PG IP20


Finiture / Finishes

diffusore / diffuser	no none
----------------------	------------

montatura / frame	Alluminio Aluminium	 alluminio spazzolato brushed aluminium
-------------------	------------------------	--

note / notes

FOR USA AND CANADA	Floor Fluo LT1	Floor Led LT3	Suspension Halo SO1	Suspension Led SO3
lamp socket	G5	---	G9	---
max wattage	1x80W	40W	8x max 40W	40W
symbol		LED		LED
fixture supplied with backplate	NO	NO	NO	YES
mounts to standard 4" j-box	NO	NO	YES	YES
certifications		---	---	---
note	---	---	---	---



sophie

DESIGN: S.I.D. 2002

Lampada da parete ad
emissione di luce diffusa.
*Wall mounted luminaire
for diffused lighting.*







Sophie

307









sophie


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Wall Single	AP1 YES / NO	G9	 max 1x33W eco	0,5m CE F PG IP44
Wall Double	AP2 YES / NO	G9	 max 2x33W eco	0,5m CE F PG IP44

Finiture / Finishes

diffusore / diffuser	Doppio Vetro Double Glass	 cristallo cristallo sabbato crystal sandblasted crystal
montatura / frame	Metallo Metal	 cromo chrome  nickel satinato matt nickel

note / notes

FOR USA AND CANADA	Wall Single AP1	WallDouble AP2
lamp socket	G9	
max wattage	1x max 40W	2x max 40W
symbol		
fixture supplied with backplate	NO	NO
mounts to standard 4" j-box	YES	YES
certifications		
note	---	---



Wall **Single** AP1

Wall **Double** AP2

chop


Design S.I.D. 2012

LAMPADA IN VETRO SOFFIATO DA PARETE/SOFFITTO,
SOSPENSIONE E TAVOLO. DISPONIBILE ANCHE IN
VERSIONE LED.

*BLOWN GLASS WALL/CEILING, SUSPENDED OR TABLE
LAMP. AVAILABLE IN LED.*









chop 315

THE LIGHTING MAKERS





STUDIO
ITALIA DESIGN
LIGHTING MAKERS



chop





	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Wall / Ceiling Small led	AP2 PL2 NO / NO	---	LED 3000K - 500 lm 5.5W	0,5 m CE IP20
Wall / Ceiling Small halo	AP3 PL3 YES / NO	E14	 max 1x46W eco	0,5 m CE IP20
Wall / Ceiling Medium led	AP PL NO / NO	---	LED 3000K - 540 lm 5.9W	0,5 m CE IP20
Wall / Ceiling Medium halo	AP1 PL1 YES / NO	E14	 max 1x46W eco	0,5 m CE IP20

Finiture / Finishes

diffusore / diffuser	Vetro Soffiato Blown Glass	bianco latte satinato matt milk white
montatura / frame	Metallo Metal	bianco opaco 9010 matt white 9010

note / notes



FOR USA AND CANADA	Wall / Ceiling Small led AP2-PL2	Wall / Ceiling Small halo AP3-PL3	Wall / Ceiling Medium led AP-PL	Wall / Ceiling Medium halo AP1-PL1
lamp socket	---	E12	---	E12
max wattage	5.5W	1x max 60W	5.9W	1x max 60W
symbol	LED		LED	
fixture supplied with backplate	NO	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES	YES
certifications	---		---	
note	---	---	---	---




Wall / Ceiling **Small led** AP2-PL2
Wall / Ceiling **Small halo** AP3-PL3

Wall / Ceiling **Medium led** AP-PL
Wall / Ceiling **Medium halo** AP1-PL1





chop


	dim. / con dimmer dim. / with dimmer	portalampade lamp socket	simbolo / watt symbol / watt	marchi mark list
Suspension Small led	SO2 NO / NO	---	LED 3000K - 500 lm	0,5 m CE ENEC ES PG IP20
Suspension Small halo	SO3 YES / NO	E14	 max 1x46W eco	0,5 m CE ENEC PG IP20
Suspension Medium led	SO NO / NO	---	LED 3000K - 540 lm	0,5 m CE ENEC ES PG IP20
Suspension Medium halo	SO1 YES / NO	E14	 max 1x46W eco	0,5 m CE ENEC PG IP20

Finiture / Finishes

diffusore / diffuser	Vetro Soffiato Blown Glass	 bianco latte satinato matt milk white
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010

note / notes



FOR USA AND CANADA	Suspension Small led SO2	Suspension Small halo SO3	Suspension Medium led SO	Suspension Medium halo SO1
lamp socket	---	E12	---	E12
max wattage	5.5W	1x max 60W	5.9W	1x max 60W
symbol	LED		LED	
fixture supplied with backplate	NO	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES	YES
certifications	---		---	
note	---	---	---	---



chop

	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Table Small led TA2	NO / NO	---	LED 3000K - 500 lm 5.5W	0,5 m CE V □ ES PG IP20
Table Small halo TA3	YES / NO	E14	☼ max 1x46W eco	0,5 m CE V □ PG IP20
Table Medium led TA	NO / NO	---	LED 3000K - 540 lm 5.9W	0,5 m CE V □ ES PG IP20
Table Medium halo TA1	YES / NO	E14	☼ max 1x46W eco	0,5 m CE V □ PG IP20

Finiture / Finishes

diffusore / diffuser	Vetro Soffiato Blown Glass	 bianco latte satinato matt milk white
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010

note / notes

FOR USA AND CANADA	Table Small led TA2	Table Small halo TA3	Table Medium led TA	Table Medium halo TA1
lamp socket	---	E12	---	E12
max wattage	5.5W	1x max 60W	5.9W	1x max 60W
symbol	LED	☼	LED	☼
fixture supplied with backplate	NO	NO	NO	NO
mounts to standard 4" j-box	NO	NO	NO	NO
certifications	---	---	---	---
note	---	---	---	---







Table **Small led** TA2
Table **Small halo** TA3

Table **Medium led** TA
Table **Medium halo** TA1

**Lampada in
vetro soffiato
a sospensione e da
tavolo ad emissione
di luce diffusa.**

**Hand-blown glass
suspension and
table mounted
luminaire for
diffused lighting.**

soap


DESIGN: Arch. Marco Ferreri 2006





Soap

323










soap










soap


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Suspension Small	SO YES / NO	G9	 max 1x48W eco	0.5 m CE V □ PG IP20
Suspension Large	MAX YES / NO 1-10V	2G11	 1x55W	0.5 m CE V ES PG IP20
Table	TA YES / YES	G9	 max 1x48W eco	0.5 m CE V □ PG IP20

Finiture / Finishes

diffusore / diffuser	Vetro Soffiato Blown Glass	 cristallo crystal
montatura / frame	Alluminio Aluminium	 alluminio spazzolato brushed aluminium

note / notes

FOR USA AND CANADA	Suspension Small SO	Suspension Large MAX	TA
lamp socket	G9	2G11	G9
max wattage	1x max 75W	1x55W	1x max 60W
symbol			
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	YES	YES	NO
certifications	---		---
note	---	---	---



spotty

DESIGN: S.I.D. 2006

LAMPADA DA PARETE
ORIENTABILE A 360°
AD EMISSIONE DI
LUCE DIRETTA.
*360° ADJUSTABLE
WALL MOUNTED
LUMINAIRE FOR
DIRECT LIGHTING.*










THE LIGHTING MAKERS











spotty

	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list	
			fluorescent	led		
Wall	AP NO / NO	GX53	 max 1x13W	 H max cm 3,3 1x max	0,5 m CE    IP20	

Finiture / Finishes

diffusore / diffuser	no none	
montatura / frame	Alluminio Aluminium	 alluminio anodizzato anodized aluminium
note / notes		

FOR USA AND CANADA	Wall AP
lamp socket	GX53
max wattage	1x max 7W
symbol	
fixture supplied with backplate	YES
mounts to standard 4" j-box	YES
certifications	---
note	H max cm 3,3



big mec

DESIGN: S.I.D. 2005

LAMPADA A SOSPENSIONE IN ALLUMINIO SPAZZOLATO
AD EMISSIONE DI LUCE DIFFUSA.
*SUSPENSION LAMP IN BRUSHED ALUMINUM FOR
DIFFUSE LIGHTING.*





4












337



big-mec










	dim. / con dimmer dim. / with dimmer	portalampane lamp socket		simbolo / watt symbol / watt		marchi mark list
Suspension Medium	SO1	NO / NO	2G10		Multi Watt 4x36W or 4x24W or 4x18W	0,5 m CE   IP20
Suspension Large	SO	NO / NO	2G10		Multi Watt 8x36W or 8x24W or 8x18W	0,5 m CE   IP20
Suspension ExtraLarge	MAX	YES / NO DSI	2G11		8x80W	0,5 m CE   IP20

Finiture / Finishes

diffusore / diffuser	Vetro Glass	 cristallo sabbiato sandblasted crystal
montatura / frame	Alluminio Aluminium	 alluminio spazzolato brushed aluminium

note / notes

FOR USA AND CANADA	Suspension Medium SO1	Suspension Large SO	Suspension ExtraLarge MAX
lamp socket	2G10	2G10	2G11
max wattage	4x36W or 4x24W or 4x18W	8x36W or 8x24W or 8x18W	8x55W
symbol			
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	YES	YES	YES
certifications			
note	---	---	---



buonanotte

DESIGN: Arch. Giulio Iachetti 2007








LAMPADA DA TAVOLO IN METALLO
BIANCO AD EMISSIONE DI LUCE
DIFFUSA CON DIFFUSORE IN
VETRO SOFFIATO. *TABLE LAMP IN
WHITE METAL FOR DIFFUSE
LIGHTING WITH DIFFUSER IN
HAND-BLOWN GLASS.*




buona- notte

	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list	
			halogen	led		
Table	TA	NO / NO	E14	 max 1x46W eco	 1x max	 IP20

Finiture / Finishes

diffusore / diffuser	Vetro Soffiato Blown Glass	 bianco latte satinato matt milk white
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010

note / notes

FOR USA AND CANADA	Table TA
lamp socket	E14
max wattage	1x max 46W eco
symbol	
fixture supplied with backplate	NO
mounts to standard 4" j-box	NO
certifications	---
note	Supplied with 220v bulb and 110v to 220v converter




Table TA

incasso/recessed

b-box

*Lampada da soffitto o da incasso installabile
a cartongesso o latterizio ad emissione di luce diretta.*

*Ceiling or recessed lamp for brickwork or plasterwork
installation for direct lighting.*

design: S.I.D. 2008



b-box



	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list
			halogen	led	
Recessed Single	YES / NO 1 Trailing-Leading Edge	G53	max 1x50W eco	min 1x10W	0.5 m IP20
Recessed Double	YES / NO 2 Trailing-Leading Edge	G53	max 2x50W eco	min 2x10W	0.5 m IP20

Finiture / Finishes


diffusore / diffuser	no none	
montatura / frame	Metallo Metal	bianco opaco 9010 matt white 9010

note / notes

Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

accessori / accessory	BB1 Single	BB2 Double	Cornice per cartongesso Frame for plasterwork installation	BB4 Single	BB5 Double	Cassaforma per laterizio Back box for brickwork
-----------------------	-------------------	-------------------	---	-------------------	-------------------	--

FOR USA AND CANADA	Wall / Ceiling Single 1	Wall / Ceiling Double 2
lamp socket	G53	G53
max wattage	1x max 50W	2x max 50W
symbol		
fixture supplied with backplate	NO	NO
mounts to standard 4" j-box	YES	YES
certifications		
note	---	---



Recessed **Single** 1

Recessed **Double** 2

a-tube

design: S.I.D. 2002

Apparecchio da incasso direzionabile installabile a cartongesso. Emissione di luce diretta.

Adjustable recessed fixture for plaster work installation for direct lighting.



a-tube


	dim. / con dimmer dim. / with dimmer	portalampade lamp socket	simbolo / watt symbol / watt		marchi mark list
Recessed	INC	GU10	halogen max 1x40W eco	led 1x max	0,5 m ² CE ENEC ES LG IP20

Finiture / Finishes

diffusore / diffuser	no none	
montatura / frame	Metallo Metal	<div style="display: flex; gap: 10px;"> <div style="border: 1px solid black; width: 20px; height: 20px; background-color: #f0f0f0;"></div> bianco opaco 9010 matt white 9010 </div> <div style="display: flex; gap: 10px;"> <div style="border: 1px solid black; width: 20px; height: 20px; background-color: #333;"></div> nero opaco 9005 matt black 9005 </div>


note / notes Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

FOR USA AND CANADA	Recessed INC
lamp socket	GU10
max wattage	1x max 50W
symbol	
fixture supplied with backplate	NO
mounts to standard 4" j-box	NO
certifications	---
note	



Recessed INC

hide











*Apparecchio da incasso a scomparsa totale installabile a cartongesso.
Frame less recessed fixture for direct lighting.*





design: S.I.D. 2011




hide







		dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list	
				halogen		led	
Recessed Small square	INC1	YES / NO	GU10	 max 1x40W eco	 1x max	0,5 m	CE, ENEC, ES, PG, IP20
Recessed Small round	INC2	YES / NO	GU10	 max 1x40W eco	 1x max	0,5 m	CE, ENEC, ES, PG, IP20
Recessed Large square	INC3	YES / NO	G53	 max 1x60W eco	 1x max	0,5 m	CE, ENEC, ES, PG, IP20
Recessed Large round	INC4	YES / NO	G53	 max 1x60W eco	 1x max	0,5 m	CE, ENEC, ES, PG, IP20













Finiture / Finishes

diffusore / diffuser	no none				
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010	 nero opaco 9005 matt black 9005	 oro verniciato painted gold	 argento verniciato painted silver

note / notes  Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

Trasformatore non incluso (**Large square e Large round**) / Driver not included (**Large square and Large round**)

FOR USA AND CANADA	Recessed Small square INC1	Recessed Small round INC2	Recessed Large square INC3	Recessed Large round INC4
lamp socket	GU10	GU10	G53	G53
max wattage	1x max 50W	1x max 50W	1x max 100W	1x max 100W
symbol				
fixture supplied with backplate	NO	NO	NO	NO
mounts to standard 4" j-box	NO	NO	NO	NO
certifications	---	---	---	---
note			---	---



Recessed **Small Square** INC1

Recessed **Small Round** INC2

Recessed **Large Square** INC3







Recessed **Large Round** INC4

ice




*Faretto da incasso installabile a cartongesso
ad emissione di luce diffusa. Diffusore in cristallo.
Recessed fixture for plaster work installation
for diffused lighting. Crystal diffuser.*










design: Italian Thinking, Fabio Ligresti, 2008


	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt			marchi mark list
			halogen		led	
Recessed Cambio	INC YES / NO	GU10	 max 1x40W eco	 L max cm 6,5	1x max	0,5 m CE V ES IP20
Recessed Campy	INC YES / NO	GU10	 max 1x40W eco	 L max cm 6,5	1x max	0,5 m CE V ES IP20
Recessed Twin	INC YES / NO	GU10	 max 1x40W eco	 L max cm 6,5	1x max	0,5 m CE V ES IP20

Finiture / Finishes


diffusore / diffuser	Cristallo Pressato Pressed crystal	 cristallo crystal
montatura / frame	Metallo Metal	 cromo chrome

note / notes  Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed


FOR USA AND CANADA	Recessed Cambio INC	Recessed Campy INC	Recessed Twin INC
lamp socket	GU5.3	GU5.3	GU5.3
max wattage	1x max 50W	1x max 50W	1x max 50W
symbol			
fixture supplied with backplate	YES	YES	YES
mounts to standard 4" j-box	NO	NO	NO
certifications			
note	 Housing included 12V	 Housing included 12V	 Housing included 12V



Recessed **Cambio** INC



Recessed **Campy** INC



Recessed **Twin** INC

i-step

design: Rocco Este, 2009

*Apparecchio da incasso installabile a cartongesso
e laterizio a luce diretta.*

*Recessed fixture for brickwork or plasterboard
installation for direct lighting.*



istep



	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt	marchi mark list
Recessed Halo	INC1 YES / NO	GU4	max 1x14W eco	0,5 m IP20
Recessed Led	INC2 NO / NO	---	1x1.2W	0,5 m IP20



Finiture / Finishes

diffusore / diffuser	no none		
montatura / frame	Metallo Metal	bianco opaco 9010 matt white 9010	

note / notes Trasformatore non incluso / Driver not included

accessori / accessory	iS1	Cover intercambiabile Exchangeable frame	iS2	Cassaforma per laterizio Back box for brickwork	iS3	Vetro frontale Front glass
-----------------------	-----	---	-----	--	-----	-------------------------------

FOR USA AND CANADA	Recessed Halo INC1	Recessed Led INC2
lamp socket	GU4	---
max wattage	1x max 20W	1.2W
symbol		
fixture supplied with backplate	NO	NO
mounts to standard 4" j-box	NO	NO
certifications	---	---
note	---	---



Recessed **Halo** INC1
Recessed **Led** INC2

panico









*Apparecchio da incasso installabile a cartongesso ad
emissione di luce diretta.*



Recessed fixture for plaster board installation.



design: S.I.D. 2010




panico

		dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list		
				halogen		led		
Recessed	INC1	YES / NO	GU5.3		max 1x35W eco		1x max	0.5 m CE     IP20

Finiture / Finishes

diffusore / diffuser	no none	
montatura / frame	Metallo Metal	 bianco opaco 9010 matt white 9010
note / notes	 Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed	
	Trasformatore non incluso / Driver not included	

FOR USA AND CANADA	Recessed INC1
lamp socket	GU5.3
max wattage	1x max 50W
symbol	
fixture supplied with backplate	NO
mounts to standard 4" j-box	NO
certifications	---
note	




Recessed INC1

pina







*Apparecchio da incasso orientabile
installabile a cartongesso ad emissione
di luce diretta.*

*Adjustable recessed fixture for plaster
board installation.*

design: S.I.D. 2010




pina

	dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt		marchi mark list	
			halogen	led		
Recessed Square	INC1	YES / NO	GU5.3	 max 1x35W eco	 1x max	 IP20
Recessed Round	INC3	YES / NO	GU5.3	 max 1x35W eco	 1x max	 IP20





Finiture / Finishes







diffusore / diffuser	no none
----------------------	------------

montatura / frame	Metallo Metal  bianco opaco 9010 matt white 9010
-------------------	--

note / notes  Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

Trasformatore non incluso / Driver not included

FOR USA AND CANADA	Recessed Square INC1	Recessed Round INC3
lamp socket	GU5.3	GU5.3
max wattage	1x max 50W	1x max 50W
symbol		
fixture supplied with backplate	NO	NO
mounts to standard 4" j-box	NO	NO
certifications	---	---
note		



Recessed **Square** INC1

Recessed **Round** INC3

esterno/outdoor

tornado

design: Dima Loginoff. 2012

Lampada a sospensione, parete e terra
in metallo ad emissione di luce diretta.

*Suspension wall, inground and floor
metal luminaire for direct lighting.*





Tornado

363

**THE LIGHTING
MAKERS**





STUDIO
ITALIA DESIGN
LIGHTING MAKERS







tornado



		dim. / con dimmer dim. / with dimmer	portalampane lamp socket	simbolo / watt symbol / watt				marchi mark list	
				halogen	fluorescent	led			
Wall	AP	YES / NO	E27	max 1x77W eco	L max cm 12	max 1x23W	L max cm 12	1x max	0,5 m CE ENEC ES PG IP65
Standing & Picket Short	LT2	YES / NO	E27	max 1x77W eco	L max cm 12	max 1x23W	L max cm 12	1x max	0,5 m CE ENEC ES PG IP65
Standing & Picket Tall	LT1	YES / NO	E27	max 1x77W eco	L max cm 12	max 1x23W	L max cm 12	1x max	0,5 m CE ENEC ES PG IP65
Standing Big	LT	YES / NO	E27	max 1x77W eco	L max cm 12	max 1x23W	L max cm 12	1x max	0,5 m CE ENEC ES PG IP65


Finiture / Finishes

diffusore / diffuser	no none
montatura / frame	Metallo Metal
	grigio antracite opaco matt anthracite grey

note / notes Supporta il montaggio di lampadine a risparmio energetico / Retrofit energy saving lamps can be installed

accessori / accessory **ST** **cm 8 3,14"** **cm 25 9,84"** Versioni **Short** e **Tall** fornite con picchetto opzionale incluso
Short and **Tall** versions are with additional picket included

FOR USA AND CANADA	Wall AP	Standing & Picket Short LT2	Standing & Picket Tall LT1	Standing Big LT
lamp socket	E26	E26	E26	E26
max wattage	1x max 23W	1x max 23W	1x max 23W	1x max 23W
symbol				
fixture supplied with backplate	YES	NO	NO	NO
mounts to standard 4" j-box	YES	NO	NO	NO
certifications	---	---	---	---
note	L max cm 12	L max cm 12	L max cm 12	L max cm 12



Wall AP

Standing & Picket **Short** LT2

Standing & Picket **Tall** LT1

Standing **Big** LT



371

copenhagen

design: S.I.D. 2012





LAMPADA IN METALLO VERNICIATO DA
PARETE E INTERRATA.
WALL AND INGROUND LAMP.















copen- hagen


	dim. / con dimmer dim. / with dimmer	portalampade lamp socket	simbolo / watt symbol / watt		marchi / mark list
			halogen	led	
Wall Small	2 YES / NO	---	---	LED 3000K - 640 lm 8,5W	0,5m CE V PG IP65
Wall Medium	4 NO / NO	---	---	LED 3000K - 640 lm 8,5W	0,5m CE V PG IP65
Bollard	3 YES / NO	GU5.3	 max 1x35W eco	 L max cm 5 1x max	0,5m CE V PG IP67

Finiture / Finishes

diffusore / diffuser	no none
montatura / frame	Metallo Metal  bianco opaco 9010 matt white 9010  nero opaco 9005 matt black 9005  grigio 9006 grey 9006

note / notes  Supporta il montaggio di lampadine a risparmio energetico (Bollard) / Retrofit energy saving lamps can be installed (Bollard)

FOR USA AND CANADA	Wall Small 2	Wall Medium 4	Bollard 3
lamp socket	---	---	GU5.3
max wattage	8,5W	8,5W	1x max 50W
symbol	LED	LED	
fixture supplied with backplate	NO	NO	NO
mounts to standard 4" j-box	YES	YES	NO
certifications	---	---	---
note			



Wall **Small** 2

Wall **Medium** 4

Bollard 3

Italiano

Ogni singolo prodotto **Studio Italia Design** è conforme alla marcatura CE richiesta dalla Comunità Europea con la direttiva 93/68 (ampliamento della direttiva 73/23) per confermare con una marcatura riconosciuta in tutta Europa, che le lampade sono state sottoposte alle prove di sicurezza elettrica richieste dalle norme Europee EN-60598-1-2 II ed. + CEI EN 60598-1 IV ed. corrispondenti norme italiane CEI 34-21 + CEI 34-23, norme per la sicurezza elettrica a cui fanno riferimento tutti gli istituti, compreso l'IMQ. I prodotti indicati con il marchio UL e/o ETL sono conformi alla normativa UL 1598/CAN/USA C22.2 No.250.0 o UL 153.

L'azienda, ferme restando le caratteristiche fondamentali degli articoli presentati in catalogo, si riserva di apportare, in qualsiasi momento, le modifiche opportune al miglioramento della qualità.

I prodotti sono garantiti per la durata di un anno e, in caso di difetti, verranno, a discrezione dell'azienda, sostituiti o riparati. Questa copertura decade di validità nel caso di manomissione e di uso o di una installazione non corretti.

English

Every single product of **Studio Italia Design** corresponds to the CE mark laid down by the European Community with Directive 93/68 (extension of Directive 73/23) to confirm, with a mark recognised all over Europe, that the lights have undergone the electrical safety test required by European standards EN-60598-1-2 II ed. + CEI EN 60598-1 IV ed. corresponding to Italian standards CEI 34-21 + CEI 34-23, electrical safety standards referred to by all institutions, including the IMQ. The products indicated with the logo UL and/or ETL corresponds to the standards UL 1598/CAN/USA C22.2 No.250.0 o UL 153.

At any time, Studio Italia Design may introduce the necessary changes to improve the quality of its products, while maintaining the basic features of the articles shown in the catalogue.

Every product has a one-year guarantee. If the products are faulty, they will be replaced or repaired. In case of wrong use or installation the guarantee is not valid.

Français

Chacun des produits **Studio Italia Design** est conforme aux la marque CE imposée par la directive 93/68 (extension de la directive 73/23) établie par la Communauté européenne pour confirmer par une marque reconnue dans toute l'Europe que les lampes ont été soumises aux épreuves de sécurité électrique requises par les normes européennes EN-60598-1-2 II ed. + CEI EN 60598-1 IV ed. correspondant aux normes italiennes CEI 34-21 + CEI 34-23, normes de sécurité électrique auxquelles se réfèrent tous les instituts, y compris l'IMQ. Les produits indiqués avec la marque UL et/ou ETL sont conformes aux normes UL 1598/CAN/USA C22.2 No.250.0 ou UL 153.

L'entreprise, tout en conservant les caractéristiques fondamentales des articles présentés au catalogue, se réserve la possibilité d'apporter à tout moment les modifications opportunes à l'amélioration de la qualité.

Les produits sont garantis un an et, en cas de défauts, ils seront, à discrétion de l'entreprise, remplacés ou réparés. Cette garantie prend fin en cas de démontage et d'un usage ou d'une installation incorrects.

Deutsch

Jedes einzelne Produkt von **Studio Italia Design** entspricht das CE Prüfzeichen von der Europäischen Gemeinschaft mittels Richtlinie 93/68 (Erweiterung der Richtlinie 73/23) gefordert, um mit einem in ganz Europa anerkannten Prüfzeichen zu bestätigen, daß die Lampen allen von den Europäischen Normen EN-60598-1-2 II ed. + CEI EN 60598-1 IV ed. geforderten Prüfungen hinsichtlich der elektrischen Sicherheit unterzogen wurden, die den italienischen Normen CEI 34-21 + CEI 34-23 entsprechen, d.h. den Normen bezüglich der elektrischen Sicherheit, auf die sich alle Institute, einschließlich der IMQ, beziehen. Wo der UL und/oder ETL Logo erscheinen, entsprechen die Leuchten die UL 1598/CAN/USA C22.2 No.250.0 oder UL 153 Norm.

Unter Beibehaltung der grundsätzlichen Kennzeichen der im Katalog aufgeführten Artikel behält sich der Betrieb vor, zu jeder Zeit Änderungen daran vorzunehmen, die für die Verbesserung der Qualität notwendig sind.

Die Produkte haben ein Jahr Garantie und werden, falls sie Fehler aufweisen sollten, nach Prüfung ersetzt oder repariert. Bei nicht fachmännischer Behandlung, Installation und Gebrauch gilt diese Garantie nicht mehr.

Español

Cada artículo **Studio Italia Design** tiene la marcatura CE en conformidad a la directiva 93/68 (ampliamento de la directiva 73/23) para confirmar que las lamparas han sido sometidos a las pruebas de seguridad eléctrica exigidos de las normativas europeas EN-60598-1-2 II ed. + CEI EN 60958-1 IV ed. equivalentes normas italianas CEI 34-21 + CEI 34-23, normas para la seguridad eléctrica punto de referencia para todos los institutos, incluido IMQ. Los productos que tienen el sello UL y/o ETL tienen la conformidad a las normativas UL 1598/CAN/USA C22.2 No.250.0 o UL 153.

La empresa, manteniendo las características fundamentales de los artículos presentados en el catálogo, se reserva el derecho de realizar en cualquier momento cualquier modificación necesaria a sus modelos para mejorar la cualidad.

Los productos tienen la garantía por un año y, en presencia de defectos, vendrán sustituidos o arreglados a discreción de Sid. Esta garantía pierde validez en presencia de un uso o de una instalación no correctos.



STUDIO ITALIA DESIGN srl

Via Pialoi, 32 - 30020 Marcon - Venezia - Italy
tel +39 041 4569266 - fax +39 041 4567337
info@studioitaliadesign.com
www.studioitaliadesign.com

Studio Italia Design si riserva il diritto di apportare ai propri modelli, senza nessun preavviso, qualsiasi modifica ritenesse opportuna.

Studio Italia Design reserves the right to introduce any changes to its own models, without notice in advance.

Studio Italia Design behält sich das recht vor änderungen vorzunehmen, ohne sofortige benachrichtigung.

Studio Italia Design se réserve le droit d'apporter une quelconque modification à les modèles sans préavis.

Studio Italia Design se reserva el derecho de realizar cualquier modificación sobre sus modelos sin previo aviso.

credits:

photo: Andrea Pancino

art director & set design: Raimondo Sandri

print: Grafiche Tintoretto



STUDIO ITALIA DESIGN
Via Pialoi, 32
30020 Marcon - Venezia - ITALY
tel +39 041 4569266
fax +39 041 4567337
info@studioitaliadesign.com
www.studioitaliadesign.com