



The latest in modern design with the highest quality LED technology. MADE IN THE U.S.A.

TABLE OF CONTENTS

Floor

| Valeo | |
|-------------|--|
| Silva Giant | |
| Silva Floor | |
| Forma | |

Linear Pendant

| | Vix Aeris Arca Brevis Virga | 7 8 9 10 10 |
|----------------|--|----------------------------------|
| Pendan | - | |
| - chadh | Muto Mica L Levis L Abeo | 11 12 12 13 |
| Accent | Pendant Laurus Mica Levis Salix Claudo | 13 14 14 15 15 |
| Canopy Options | | 16 |
| Sconce | Claudo sconce Acuo Oris Cubo Levo Libri | 16 17 18 19 20 21 |
| T- - - | | |

Table

| Silva |
|------------|
| FormaTable |
| Macto |
| Sero |
| Onus |
| |

Art Light

Revelite AL 25-26

1751 McGAW AVE. IRVINE CA 92614

CERNOGROUP.COM REVELITE.COM 949.715.1534 © CERNO LLC.

MADE IN CALIFORNIA WITH PASSION & PRIDE

MISSION

Established in 2009, Cerno is an industrial design and manufacturing company innovating modern LED lighting fixtures. Our mission is to fuse quality, performance, and resource efficiency with modern design.

At Cerno it is our intention to design with focus, yielding products that blend form and function into objects of purposeful and personal value. We believe that the often overlooked objects that we surround ourselves with in our daily lives represent an opportunity for expression and personal enjoyment. We aim to produce products that take advantage of this opportunity and fill this need for the conscientious consumer.

In a consumer age where nearly everything is viewed as disposable, we aim to be accountable to our customers and our environment. We achieve this by building our products to last, selecting our material pallette responsibly, using energy efficient LED technology, and most importantly designing and fabricating our products in the U.S.A.

Cerno:

-Verb (Latin) To resolve, distinguish, decide, sift, determine, to perceive.



WE DO CUSTOM WORK We can accommodate your custom needs. Whether it is modifying an existing product, or creating something completely new, we look forward to hearing your ideas.



DESIGNED AND BUILT BY HAND AT CERNO





All of our fixtures are handmade by skilled designers and fabricators who share a passion for good design and a commitment to responsible manufacturing. These light fixtures exist solely because of the talent, skill, and dedication of every member of the Cerno team.



Valeo floor

Dimensions - 95" H - 25" Ø shade Walnut, aluminum, linen shade, Powder coated steel base Energy efficient LED light source Dimmable (use TRIAC or ELV dimmer) Light output - 1250 Lumens Light color - 2700° K (warm) Color accuracy – 90+ CRI Power usage - 13 Watts Wood grain will vary


Valeo part # 05 - 400 - AWL

When reaching such a distance with a fixture, it is important that it feels visually efficient in its form but is still far from fragile, inviting one to linger under it. The adjustability in the reach and the height of the shade makes it possible to custom fit the piece to its surroundings- an important characteristic for such a large piece.

> Nick Sheridan Designer

7'-11

shade height max. 6'-7"



Silva Giant, as the name suggests, is a giant version of our Silva table fixture. Its scale gives it a strong presence even in very large spaces, while its distilled form gives it a simplicity that can be seen from across the room. A fun piece with a huge personality.

> Nick Sheridan Designer





Silva Giant floor


Dimensions - 84" H - 16"Ø shade Walnut, aluminum, linen shade Energy efficient LED light source Fully dimmable with no flicker Light output - 1150 Lumens Light color - 2700° K (warm) Color accuracy - 85 CRI Power usage - 20 Watts Wood grain will vary

CUL US

Silva Giant part #

Wood body: oiled walnut dark stained walnut ADL

05-200-AWL





Silva Floor floor



Dimensions - 16" x 15" - 52"H Wood body, aluminum leg & knob, bent shade Articulation - shade tilt Energy efficient LED light source Fully dimmable with no flicker Light output - 420 lumens Light color - 3000° K (warm) Color accuracy - 82 CRI Power usage - 8.3 Watts Input voltage - 12V DC Wood grain will vary

MATERIAL & FINISH OPTIONS

Silva Floor part # 05-100 - A Wood body: baltic birch B oiled walnut w Bent shade: beech wood veneer ΒI ebony eco veneer white linen ъL

The Silva Floor is slender, elegant, and poised while delivering great functionality. The tri-leg base finds stability on uneven surfaces and allows the cord to exit discreetly and effectively. It feels signature and iconic while still keeping a clean and timeless modern aesthetic.

> Nick Sheridan Designer

WE DO CUSTOM WORK We can accommodate your custom needs. Whether it is modifying an existing product, or creating something completely new, we look forward to hearing your ideas.












black anodized aluminum oiled walnut, burlap shade



$C \in \cap \cap O^{\circ}$ in collaboration with

DESIRON FRANK CARFARO HAND CRAFTED AMERICAN FURNITURE

Forma floor



Dimensions - 72" H - 22" Ø shade Walnut, aluminum, linen shade Energy efficient LED light source Fully dimmable with no flicker Light output - 1150 Lumens Light color - 2700° K (warm) Color accuracy - 85 CRI Power usage - 20 Watts Wood grain will vary



MATERIAL & FINISH OPTIONS


05 - 300 -Forma part # Metal Finish: brushed aluminum A B black anodized aluminum Wood body: dark stained walnut Dı oiled walnut wŀ Shade: black white linen burlap

Being our most traditional fixture, Frank Carfaro and I worked to design a piece that embraced both Cerno and Desiron's aesthetic, without deviating too much from either brand's design language. I am really pleased with the fluidity, posture and scale we achieved with the Forma.

Nick Sheridan Designer

 $C \in \cap \cap O^*$


Vix linear pendant



Vix 34 dimensions - 34" x 8" -0.75" H Vix 48 dimensions - 48" x 8" - 0.75 "H [shown] Walnut, polymer, aluminum Wood grain will vary Energy efficient LED light source Dimmable (use ELV or TRIAC dimmer) Light output - 1100 lumens [down light - 645, Up light - 430] Light color - 2700° K (warm) Color accuracy - 85+ CRI LED power consumption - 16 Watts Ceiling canopy included

MATERIAL & FINISH OPTIONS


CUL USTED



w

D

Wood Body: oiled walnut dark stained walnut



We can accommodate your custom needs. Whether it is modifying an existing product, or creating something completely new, we look forward to hearing your ideas.












7 CERNOGROUP.COM 949.715.1534

$C \in \cap \cap O^{\circ}$

in collaboration with

DESIRON FRANK CARFARO HAND CRAFTED AMERICAN FURNITURE

Aeris 30 / Aeris 54 linear pendant



Aeris 30 dimensions - 30" x 6" x 8" H Aeris 54 dimensions - 54" x 6" x 8" H [shown] Walnut, aluminum Wood grain will vary 72" cable standard (can be shortened in field) Energy efficient LED light source Dimmable (use ELV or TRIAC dimmer) Light output - 1100 lumens [down light - 645, Up light - 430] Light color - 2700° K (warm) Color accuracy - 85+ CRI LED power consumption - 16 Watts Ceiling canopy included

CUL US

MATERIAL & FINISH OPTIONS

07-110 -Aeris 30 part # Aeris 54 part # 07-100 -Metal finish: brushed aluminum A B black anodized Wood body: oiled walnut D dark stained walnut




The Aeris was a collaboration with New York based designer Frank Carfaro of Desiron. The organic and often wild swirls of walnut grain are interrupted by rigorous slits and inlays that punctuate each face to create a beautiful juxtaposition, making each fixture unique. The glow of the illuminated wood seen through the cut slits creates a rich composition of light and shadow.

Nick Sheridan Designer


 $\mathsf{Ce} \cap \mathsf{O}^{*}$

Arca linear pendant



Dimensions - 49" x 24" x 17" Walnut frame, aluminum light bar w/ polymer shade Wood grain will vary 72" cable standard (can be shortened in field) Dimmable (use ELV or TRIAC dimmer) Light output - 1100 lumens Light color - 2700 degrees⁸ K (warm) Color Accuracy - 85+ CRI LED power consumption - 16 watts Ceiling canopy included

CUL US



MATERIAL & FINISH OPTIONS

The Arca is an experiment with density and mass. As one moves around the room the fixture morphs from a commanding presence of solid walnut into a graceful bar of light surrounded by an elegant porous cage.

Nick Sheridan Designer










A clean, minimal fixture finely executed. With multiple down and up lights, the Brevis provides lots of usable light in a very unobtrusive design.













Brevis 42 part # 06 - 910 - ___ Brevis 28 part # 06 - 920 - ___

В

Body: brushed aluminum black anodized




linear pendants

15 3%

Brevis










Dimensions - 28" x 1.75" - 0.5 " H 48" suspension tube (can be shortened in field) *inquire about longer lengths Aluminum, polymer Energy efficient LED light source Dimmable (use TRIAC or ELV dimmer) Light output - 750 Lumens (375 Lumens each) Light color - 2700° K (warm) Color accuracy - 85+ CRI LED power consumption 13 Watts (6.5 Watts each) Must use included external LED driver (3.25" x 2.25" x 1.125") Includes extended canopy (required to house LED driver)

c (UL) us

MATERIAL & FINISH OPTIONS

Virga part # 06 - 130 - _

Body: brushed aluminum black anodized A |_____ B |_____ Virga linear pendants



A clean, minimal fixture executed without compromise. The very simple and sleek down light bar can be installed in very close proximity to its user – and withstand close scrutiny.

Nick Sheridan Designer

$C \in \cap \cap O^*$




The Mica is simply a cube, which has been carefully deconstructed to a sculptural state. By way of the fixture's orientation and petal material composition, it exudes a certain organic symmetry. The Mica accent pendant acts as a beautiful node, creating a sense of space marked with an ambient glow.

> Nick Sheridan Designer




Simple and clean at first glance complex upon closer review. The rhythm in the facets give a dynamic feel from different vantage points, creating a sophistication to its presence.

Nick Sheridan









32'

Muto

large pendant





Dimensions - 32" X 32" X 14.5" H Walnut, polymer, aluminum Wood grain will vary 72" cable standard (can be shortened in field) Energy efficient LED light source Dimmable (use ELV or TRIAC dimmer) Light output - 2110 lumens [Ambient glowing cubes - 860, Down light - 1250] Light color - 2700° K (warm) Color accuracy - 90+ CRI LED power consumption - 25 Watts

MATERIAL & FINISH OPTIONS

The way the walnut planes

bounce light make for a very dynamic composition of light and shadow, from

the pinwheel form with its repeating elements

is symmetric, it appears very sculptural from any

one view. The modern

Muto part # 06-140-Wood body: oiled walnut W dark stained walnut DI

in the Muto both block and




walnut element away from its neiahbor, so each plane floats, the whole fixture feels weightless as if it were floating itself.

Nick Sheridan Designer


WE DO CUSTOM WORK We can accommodate your custom needs Whether it is modifying an existing product, or creating something completely new, we look forward to hearing your ideas.

11 CERNOGROUP.COM 949.715.1534





Levis L



Dimensions - 16" Ø - 13.5 " H Polymer, walnut Wood grain will vary 72" cable standard (can be shortened in field) Energy efficient LED light source Dimmable (use TRIAC or ELV dimmer) Light output - 1250 Lumens Light color - 2700° K (warm) Color accuracy – 90+ CRI Power usage - 13 Watts Ceiling canopy included Must use included external LED driver (2" x 1.75 x .875")

c (UL) us

Canopy options (also see page 16): low profile canopy (included standard) *requires space in j box for included led driver extended canopy (optional - add EXT to part #) *use when adequate j box space is not available

MATERIAL & FINISH OPTIONS

Mica L part # 06 - 180 -

w

D

Wood Bodv oiled walnut dark stained walnut

Dimensions - 11"Ø - 11.5 " H Polymer 72" cable standard (can be shortened in field) Energy efficient LED light source Dimmable (use TRIAC or ELV dimmer) Light output - 1250 Lumens Light color - 2700° K (warm) Color accuracy – 90+ CRI

> Power usage - 13 Watts Ceiling canopy included Must use included external LED driver (2" x 1.75 x .875")



Canopy options (also see page 16): low profile canopy (included standard) *requires space in j box for included led driver extended canopy (optional - add EXT to part #) *use when adequate j box space is not available

MATERIAL & FINISH OPTIONS

В


А

06 - 170 -

Levis part #

frost beech brushed aluminum

$C \in \cap \cap O^{\circ}$



Polymer, walnut Wood grain will vary 72" cable standard (can be shortened in field) Energy efficient LED light source Dimmable (use TRIAC or ELV dimmer) Light output - 1250 Lumens Light color - 2700° K (warm) Color accuracy - 90+ CRI Power usage - 13 Watts Ceiling canopy included Must use included external LED driver (2" x 1.75 x .875")

Dimensions - 15"Ø - 11.5" H

Canopy options (also see page 16): low profile canopy (included standard) *requires space in j box for included led driver extended canopy (optional - add EXT to part #) *use when adequate j box space is not available

Abeo part # 06 - 190 -

W

D

MATERIAL & FINISH OPTIONS

Wood Body: oiled walnut dark stained walnut

c Ulus

I wanted to create a simple aeometric sculpture that lets the light inside just sneak out around the floating walnut planes - letting the natural wood fall in and out of the light. It is this play with contrast and light and shadow that makes the Abeo such a dynamic piece.

Nick Sheridan Designer

Dimensions - 5.5" x 5.5" - 6.5" H

Walnut, polymer, aluminum

Dimmable (use ELV dimmer)

Light color - 2700° K (warm)

Light output - 215 Lumens

Color accuracy - 85+ CRI

Energy efficient LED light source

LED power consumption - 3.2 Watts

Must use included external LED driver

Wood grain will vary

Laurus accent pendant

Þ

(2" x 1.75 x .875") Accent pendants clustered by using our linear or circular canopies (see page 16). CUL USTED Canopy options (also see page 16): low profile canopy (included standard) *requires space in j box for included led driver

72" cable standard (can be shortened in field)

extended canopy (optional - add EXT to part #) *use when adequate j box space is not available MATERIAL & FINISH OPTIONS

dark stained walnut

Laurus # 06 - 150 -Wood Body: oiled walnut

D

WE DO CUSTOM WORK We can accommodate your custom needs Whether it is modifying an existing product, or creating something completely new, we look forward to hearing your ideas.









The Laurus has a stout, masculine

build, despite its accent size. The

strong and firm construction of

the fixture allows it to exist in a modern architectural setting

without it getting lost.

Nick Sheridan

Designer

The Mica is simply a cube, which has been carefully deconstructed to a sculptural state. By way of the fixture's orientation and petal material composition, it exudes a certain organic symmetry. The Mica accent pendant acts as a beautiful node, creating a sense of space marked with an ambient glow.

> Nick Sheridan Desianer










first glance - complex upon closer review. The rhythm in the facets gives a dynamic feel from different vantage points, creating a sophistication to its presence.

> Nick Sheridan Designer









c UL us

Canopy options (also see page 16): low profile canopy (included standard) *requires space in j box for included led driver extended canopy (optional - add EXT to part #) *use when adequate j box space is not available


MATERIAL & FINISH OPTIONS


Mica part # 06 - 160 -

Wood Body: oiled walnut dark stained walnut

w D

Mica accent pendant









Dimensions - 5.5" Ø - 5.75 " H Polymer, aluminum, beech Wood grain will vary 72" cable standard (can be shortened in field) Energy efficient LED light source Dimmable (use ELV dimmer) Light output - 215 Lumens Light color - 2700° K (warm) Color accuracy - 85+ CRI LED power consumption - 3.2 Watts Ceiling canopy included Must use included external LED driver (2" x 1.75 x .875") Accent pendants clustered by using our linear or circular canopies (see page 16).

c 🖳 us

Canopy options (also see page 16): low profile canopy (included standard) *requires space in j box for included led driver extended canopy (optional - add EXT to part #) *use when adequate j box space is not available


MATERIAL & FINISH OPTIONS

Levis part #

frost beech brushed aluminum 06 - 100 -

l evis accent pendant





Dimensions - 7.5" x 7.5" - 9.5" H Walnut, polymer, aluminum Wood grain will vary 72" cable standard (can be shortened in field) Energy efficient LED light source Dimmable (use ELV dimmer) Light output - 215 Lumens Light color - 2700° K (warm) Color accuracy - 85+ CRI LED power consumption - 3.2 Watts Must use included external LED driver (2" x 1.75 x .875") Accent pendants clustered by using our linear or

circular canopies (see page 16).



Canopy options (also see page 16): low profile canopy (included standard) *requires space in i box for included led driver extended canopy (optional - add EXT to part #) *use when adequate j box space is not available

Salix part # 06 - 120 - WA





The Salix pendant's materials and proportions are in perfect harmony. The brushed aluminum set against the oiled walnut in this fixture still feels strikingly fresh and beautiful after years of production.

Nick Sheridan Desianer




12" Round Canopy

for 3 accent pendants

Dimensions 12"Ø - 1.25" H

MATERIAL & FINISH OPTIONS



Linear Canopy for linear pendants or 2 accent pendants

Dimensions 20.5" x 4.5" - 1.5" H

MATERIAL & FINISH OPTIONS

Α

В

w

3

Linear Canopy part # 60-130 -

brushed aluminum

black anodized

Round Canopy part # 60 -120 - R


Finish: brushed aluminum A black anodized R white



Holes: 2 holes 3 holes

Finish:

white





The Claudo Sconce showcases the beautiful natural walnut wood grain and sets it against the rigorous slits cut in each face as they wrap around the simple, clean shade form. A beautiful glow emanates from each slit, showing the striking rectilinear composition, in which all four sides are unique.

> Nick Sheridan Designer

Claudo accent pendant


Dimensions - 5" x 5" - 7.25" H Walnut, polymer Wood grain will vary

72" cable standard (can be shortened in field) Energy efficient LED light source Dimmable (use ELV dimmer) Light output - 215 Lumens Light color - 2700° K (warm) Color accuracy - 85+ CRI LED power consumption - 3.2 Watts Ceiling canopy included Must use included external LED driver (2" x 1.75 x .875") Accent pendants clustered by using our linear or circular canopies (see page 16).

CUL US

Canopy options (also see page 16): low profile canopy (included standard) *requires space in j box for included led driver extended canopy (optional - add EXT to part #) *use when adequate j box space is not available

MATERIAL & FINISH OPTIONS



WE DO CUSTOM WORK We can accommodate your custom needs Whether it is modifying an existing product, or creating something completely new



The Claudo showcases the beautiful natural walnut wood grain and sets it against the rigorous slits cut in each face as they wrap around the simple. clean shade form. A beautiful glow emanates from each slit, showing the striking rectilinear composition, in which all four sides are unique. - Nick Sheridan, Desianer









we look forward to hearing your ideas.



CERNO CANOPY OPTIONS

Low Profile Canopy

for accent pendant

Dimensions 4.5" x 4.5" - 0.375" H Requires space in j box for led driver

Low Profile Canopy part # 60-100-A



Extended Canopy for pendants

Dimensions - 4.5" x 4.5" - 1.625" H Provides space for LED driver when adequate j box space is not available

Extended Canopy part # 60-101-A





Finish Options






Dimensions - 5 1/2" X 8 3/8" X 3 3/4" Walnut, polymer, aluminum Wood grain will vary Energy efficient LED light source Dimmable (use ELV or TRIAC dimmer) Light output - 430 lumens Light color - 2700° K (warm) Color accuracy - 85+ CRI LED power consumption - 6.5 Watts



Claudo Sconce sconce




MATERIAL & FINISH OPTIONS


Claudo Sconce part # 03-150 -

Wood body: oiled walnut dark stain walnut

W D



Acuo sconce



Dimensions - 16.5" X 6" X 4" Walnut, polymer, aluminum Wood grain will vary Energy efficient LED light source Dimmable (use ELV or TRIAC dimmer) Light output - 860 lumens Light color - 2700° K (warm) Color accuracy - 85+ CRI LED power consumption - 13 Watts


(ADA)

MATERIAL & FINISH OPTIONS

W

D

Acuo part # 03-130 -Wood body: oiled walnut dark stain walnut




It's a 3 sided box, which has been carefully deconstructed to a sculptural state. The careful composition of overlap and void create interest and complexity to a very straightforward, well-functioning wall sconce. The tectonic disconnection in form allows you to witness the solid American black walnut's grain as it travels through each solid block.


> Nick Sheridan Designer

WE DO CUSTOM WORK We can accommodate your custom needs. Whether it is modifying an existing product, or creating something completely new, we look forward to hearing your ideas.
















Dimensions - 24" X 10.5" X 4" D Walnut, polymer, aluminum Wood grain will vary Energy efficient LED light source Dimmable (use ELV or TRIAC dimmer) Light output - 860 lumens Light color - 2700° K (warm) Color accuracy - 85+ CRI LED power consumption - 13 Watts

(ADA)


Oris part #

MATERIAL & FINISH OPTIONS

Metal finish: brushed aluminum

Wood body: oiled walnut dark stained walnut






The Oris has a strong and commanding presence with its highly architectonic form. The thick solid stock walnut and solid aluminum central fin give the Oris a feeling of permanence and integration into the surrounding architecture. The simple asymmetrical composition adds an understated complexity, as well as excellent illumination, to any wall.

Nick Sheridan Designer

$C \in \cap \cap O^{*}$






Dimensions - 9"W x 18.5"H x 3"D - 22.5" arm reach Solid walnut body, aluminum arms, polymer shade Wood grain will vary Full arm and light head articulation Energy efficient LED light source Fully dimmable with no flicker Light output - 265 lumens Light color - 3000° K (warm) Color accuracy - 82 CRI Power usage - 6.3 Watts Input voltage - 12V DC (adapter included) Hardwired and corded versions available Hardwired model includes an external power adapter (3.35" x 1.6" .875")

C UL USTED

OPTIONS



* Hardwired installation uses a standard 3" round plaster ring and requires room in the j box for the included external power supply - see cubo installation instructions for more information

Necessity is the mother of invention, and in this case illuminated activities in bed need highly controlled light — provided here without compromise, while still delivering a simple, clean wall sconce with ambient light — all in one fixture! — and it leaves your nightstand clutter free! — now that is modern.

> Nick Sheridan Designer

"Best Luminare for Public Use Interior"




















Levo bedside wall sconce/ reading light hybrid




Dimensions - 16" x 10" - 3.25" deep Walnut, aluminum, polymer Static sconce light + swing arm w/ rotating head light Energy efficient LED light sources Fully dimmable static sconce light with Automatic ON/OFF swing arm light source Light output -Static sconce source - 350 lumens

Swing arm source - 160 lumens Light color - 2700° K (warm) Color accuracy - 85 CRI Power usage - 8 Watts Input voltage - 12V DC (adapter included) Hardwired and corded versions available Hardwired model includes an external power adapter

c UL US


MATERIAL & FINISH OPTIONS



The goal for the Levo was to create a bedside wall fixture with great task lighting articulation that was intuitive enough to be used without prior knowledge of the fixture - all the while making it slender, sexy, and very robust.

Nick Sheridan Designer






Libri

sconce reading light

- 1 1/4


MATERIAL, FINISH & MOUNTING OPTIONS



J-Box Backplate is used when mounting to a Junction Box. Finish options include oiled walnut and brushed aluminum.

Wall Mount Plugin Backplate is used when mounting directly to the wall and plugging into a wall outlet. The wall mount is an elongated rectangular piece of walnut or brushed aluminum that allows the cord to exit discreetly below the fixture.

Direct Mount Option is used when mounting directly to a headboard. There is no backplate and the cord must be fed through a hole in the headboard directly behind where the fixture is mounted and plugged into a wall outlet using THE INCLUDED AC adaptor.



extremely articulate directional task light in a discrete and sturdy form that is very intuitive to use.

Nick Sheridan Designer

We can accommodate your custom needs. Whether it is modifying an existing product, or creating something completely new, we look forward to hearing your ideas.

WE DO CUSTOM WORK



right model, no back



right model, no backplate





iled walnut, beech



dark stained walnut, ebony



oaltic birch, ebony





tained walnut, beech



c birch, beech




dark stained walnut, w. liner



baltic birch, white liner

 $C \in \cap \cap O^{\circ}$

Silva desk/table



Dimensions - 12" x 9.5" - 21.5"H Wood body, aluminum leg, neck & knob, bent shade Articulation - shade tilt Energy efficient LED light source Fully dimmable with no flicker Light output - 420 Lumens Light color - 3000° K (warm) Color accuracy - 82 CRI Power usage - 82 Watts Input voltage - 12V DC (adapter included) Wood grain will vary




MATERIAL & FINISH OPTIONS

Silva part #

Wood body: baltic birch oiled walnut dark stained walnut

Bent shade: beech wood veneer ebony eco veneer white linen



The structural connection between metal and wood was the inspiration here, where the fixture's stance is only strengthened by gravity. The tri-leg base finds stability on uneven surfaces and allows the cord to exit discreetly and effectively. It feels signature and iconic while still keeping a clean and timeless modern aesthetic.

Nick Sheridan Designer



in collaboration with

DESIRON FRANK CARFARO HAND CRAFTED AMERICAN FURNITURE

Forma Table desk/table



Dimensions - 31" H - 15" Ø shade Walnut, aluminum, linen shade Energy efficient LED light source Fully dimmable with no flicker Light output - 1150 Lumens Light color - 2700° K (warm) Color accuracy - 85 CRI Power usage - 20 Watts Wood grain will vary

MATERIAL & FINISH OPTIONS

Forma Table part #

brushed aluminum

black anodized aluminum

Metal Finish:

02 - 150 -

A

в

w W

A

L N

02 - 140 -

D

Being our most traditional fixture, Frank Carfaro and I worked to design a piece that embraced both Cerno and Desiron's aesthetic, without deviating too much from either brand's design language. I am really pleased with the fluidity, posture and scale we achieved with the Forma table, and its likeness to its big sister, the Forma floor lamp.

> Nick Sheridan Designer





























Wood body: dark stained walnut oiled walnut


Shade:

black

burlap

white linen

Macto desk/task



Dimensions - 3.5"W x 24"H - 17" arm reach Solid walnut body, brushed aluminum arm Arm and light head articulation Energy efficient LED light source Fully dimmable with no flicker Light output - 265 lumens Light color - 3000° K (warm) Color accuracy - 82 CRI Power usage - 6.3 Watts Input voltage - 12V DC (adapter included) Wood grain will vary



CUL US MATERIAL & FINISH OPTIONS Macto part #

Wood finish: oiled walnut dark stained walnut

The Macto showcases the breathtaking natural beauty of the solid walnut base. Only in a truly solid piece of wood can you see the fascinating way that the grain changes as it passes from face to face. Great reach and articulation make the Macto an extremely functional and versatile fixture - while its form and composition is kept remarkably simple.

Nick Sheridan Designer












Dimensions - 4.5" x 3.5" - 16.5"H Aluminum No articulation Energy efficient LED light source Fully dimmable with no flicker Light output - 265 lumens Light color - 3000° K (warm) Color accuracy - 82 CRI Power usage - 6.3 Watts Input voltage - 12V DC (adapter included)



MATERIAL & FINISH OPTIONS

| Sero part # | 02-120 |
|------------------|--------|
| brushed aluminum | A |
| black anodized | В |

Sero desk/table



The Sero is an exercise in restraint and simplicity. After stripping away all surplus vou are left with a flower like head poised over your work surface. Slender and clean — no more obtrusive than absolutely necessary.

Nick Sheridan Designer



Dimensions - base 5" x 4.5" - 17" H Aluminum body and arms, solid block weight Articulation - arm rotation and head tilt Energy efficient LED light source Fully dimmable with no flicker Light output - 420 lumens Light color - 3000° K (warm) Color accuracy - 82 CRI Power usage - 8.3 Watts Input voltage - 12V DC (adapter included) Concrete finishes will vary


CUL US

MATERIAL & FINISH OPTIONS


Onus part #

Aluminum body: brushed aluminum black anodized

Solid block weight: natural concrete black concrete



Onus desk/task



Lean and purpose driven — each part of the Onus is sized no larger than necessary to fulfill its need. An honest massive block keeps the lamp base sturdy as it cantilevers out over your work with a delicate metal boom.

Nick Sheridan Designer




Revelite AL art light

The all-new Revelite AL is a revolutionary picture light that is custom built and tuned at our facility in Southern California. This fixture evenly illuminates the entire surface of a painting using an extremely high color-rendering light source. The uniformity and quality of light that this fixture emits is not achievable with the standard off-the-shelf fixtures available today. The technology in the Revelite AL does not emit dangerous amounts of UV or heat. All of these unprecedented attributes are embodied in an unobtrusive fixture profile that almost disappears when one views the art.

A revolutionary art light custom tailored to provide even and accurate illumination.

"These lights revealed subtleties in paintings you just don't see with ordinary lights. I think we are seeing, truly for the first time, what the artist really wanted us to see." — Pat Trenton, Ph.D. (nationally recognized art expert, curator and writer).



Risk KIRL






In over 40 years of being in the art business I have never seen a better quality light to illuminate art work than the new Revelite. In my opinion Revelite will revolutionize the art lighting industry.







Revelite Technology



Dimensions - 7" to 60" x 7.5" x 1.125"

Two models: The Revelite AL1 is optimized for paintings up to 16 inches tall, and the Revelite AL2 is optimized for paintings from 16 to 36 inches tall. Both models are available in widths from 7 to 60 inches. If a piece is wider than 60 inches, multiple fixtures can be installed side by side.

Patented technology and optics that light the entire surface of the painting uniformly

High CRI LED's that render color as the artist had intended CRI=90+ R₉=85 (saturated reds)

No ultraviolet light: safe for use with works on paper, oil painting, lithography, archival photography, and other ultraviolet-sensitive mediums

Fully dimmable with two zone dimming and individual light trajectory control

Inconspicuous small size: the hood is only 2.25 by 1.125 inches

Low power consumption and low heat

Long life: LED's are rated 50,000 hours

Minimal stray light: optics focus most light to the painting surface, not the wall

Standard finishes include brushed aluminum, gold, white, black, and oil rubbed bronze. Please inquire about custom finishes

For more information or to order the Revelite go to www.revelite.com









LEVO LED WALL SCONCE & READING LIGHT IN ONE



1751 McGAW AVE. IRVINE CA 92614 949.715.1534 CERNOGROUP.COM

